

Order—offence identifier, X[X(49)]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Order—offence identifier, X[X(49)]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Offence identifier
METEOR identifier:	512520
Registration status:	Youth Justice , Standard 15/02/2022
Definition:	An alphanumeric identifier for the offence for which a person has been placed on a legal order or arrangement.
Data Element Concept:	Order—offence identifier
Value Domain:	Identifier X[X(49)]

Value domain attributes

Representational attributes

Representation class:	Identifier
Data type:	String
Format:	X[X(49)]
Maximum character length:	50

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

Data element attributes

Collection and usage attributes

Collection methods:	If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.
---------------------	--

Relational attributes

Implementation in Data Set Specifications:	Juvenile Justice Charge file cluster Youth Justice , Superseded 23/08/2022
--	---

Conditional obligation:

Conditional on a charge resulting in a conviction. If charges cannot be linked with offences, do not supply data for this item.

DSS specific information:

The offence identifier (charge file) allows for a charge to be linked with the resulting offence. If charges cannot be linked with offences, do not supply data for this item.

For example, following their first court appearance, a young person is placed on remand for a particular offence (order ID 333). At their second court appearance, they are released on supervised bail (order ID 334). At the third court appearance, the young person is sentenced to a supervised order in relation to the charge. The resulting order is order ID 6 in the order file.

The first record shows that the person was charged with an offence and that the related order is order ID333. The offence ID field is blank because for this order, the charge did not result in a conviction. The second record shows that the charge ID is the same as the first record and so the charge is the same. It requires a new

record because the order ID is different. At the end of this order, the charge resulted in a conviction, so the offence ID field contains ID of the corresponding offence record.

Person ID	Charge ID	Charge type	Order ID	Offence ID
1	1	1200	333	
1	1	1200	334	6

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

Null values

Leave the field blank if:

- The offence identifier is unknown
- The offence identifier is not applicable.

[Juvenile Justice Offence file cluster](#)

[Youth Justice](#), Superseded 23/08/2022

DSS specific information:

The offence identifier allows for a single offence to be mapped to multiple orders.

For example, a young person is serving a sentence in detention for offence type 1350. They are released on parole/supervised release in relation to this offence.

The first record shows the young person was supervised under order ID 12 (the sentenced detention) in relation to offence type 1350. In the second record, the offence is the same as in the first record because a) the offence types are the same and b) the offence ID is the same. A second record is required because the order ID is different (the parole order).

Person ID	Offence ID	Offence type	Order ID
6	1	1350	12
6	1	1350	13

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

No null values.

[Youth Justice Charge file cluster](#)

[Youth Justice](#), Superseded 25/06/2024

Conditional obligation:

Conditional on a charge resulting in a conviction. If charges cannot be linked with offences, do not supply data for this item.

DSS specific information:

The offence identifier (charge file) allows for a charge to be linked with the resulting offence. If charges cannot be linked with offences, do not supply data for this item.

For example, following their first court appearance, a young person is placed on remand for a particular offence (order ID 333). At their second court appearance, they are released on supervised bail (order ID 334). At the third court appearance, the young person is sentenced to a supervised order in relation to the charge. The resulting order is order ID 6 in the order file.

The first record shows that the person was charged with an offence and that the

related order is order ID333. The offence ID field is blank because for this order, the charge did not result in a conviction. The second record shows that the charge ID is the same as the first record and so the charge is the same. It requires a new record because the order ID is different. At the end of this order, the charge resulted in a conviction, so the offence ID field contains ID of the corresponding offence record.

Person ID	Charge ID	Charge type	Order ID	Offence ID
1	1	1200	333	
1	1	1200	334	6

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

Null values

Leave the field blank if:

- The offence identifier is unknown
- The offence identifier is not applicable.

[Youth Justice Charge file cluster](#)

[Youth Justice](#), Superseded 23/08/2022

Conditional obligation:

Conditional on a charge resulting in a conviction. If charges cannot be linked with offences, do not supply data for this item.

DSS specific information:

The offence identifier (charge file) allows for a charge to be linked with the resulting offence. If charges cannot be linked with offences, do not supply data for this item.

For example, following their first court appearance, a young person is placed on remand for a particular offence (order ID 333). At their second court appearance, they are released on supervised bail (order ID 334). At the third court appearance, the young person is sentenced to a supervised order in relation to the charge. The resulting order is order ID 6 in the order file.

The first record shows that the person was charged with an offence and that the related order is order ID333. The offence ID field is blank because for this order, the charge did not result in a conviction. The second record shows that the charge ID is the same as the first record and so the charge is the same. It requires a new record because the order ID is different. At the end of this order, the charge resulted in a conviction, so the offence ID field contains ID of the corresponding offence record.

Person ID	Charge ID	Charge type	Order ID	Offence ID
1	1	1200	333	
1	1	1200	334	6

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

Null values

Leave the field blank if:

- The offence identifier is unknown

- The offence identifier is not applicable.

[Youth Justice Charge file cluster](#)

[Youth Justice](#), Standard 24/06/2024

Implementation start date: 01/07/2023

Conditional obligation:

Conditional on a charge resulting in a conviction. If charges cannot be linked with offences, do not supply data for this item.

DSS specific information:

The offence identifier (charge file) allows for a charge to be linked with the resulting offence. If charges cannot be linked with offences, do not supply data for this item.

For example, following their first court appearance, a young person is placed on remand for a particular offence (order ID 333). At their second court appearance, they are released on supervised bail (order ID 334). At the third court appearance, the young person is sentenced to a supervised order in relation to the charge. The resulting order is order ID 6 in the order file.

The first record shows that the person was charged with an offence and that the related order is order ID 333. The offence ID field is blank because for this order, the charge did not result in a conviction. The second record shows that the charge ID is the same as the first record and so the charge is the same. It requires a new record because the order ID is different. At the end of this order, the charge resulted in a conviction, so the offence ID field contains ID of the corresponding offence record.

Person ID	Charge ID	Charge type	Order ID	Offence ID
1	1	1200	333	
1	1	1200	334	6

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

Null values

Leave the field blank if:

- The offence identifier is unknown
- The offence identifier is not applicable.

[Youth Justice Offence file cluster](#)

[Youth Justice](#), Superseded 23/08/2022

DSS specific information:

The offence identifier allows for a single offence to be mapped to multiple orders.

For example, a young person is serving a sentence in detention for offence type 1350. They are released on parole/supervised release in relation to this offence.

The first record shows the young person was supervised under order ID 12 (the sentenced detention) in relation to offence type 1350. In the second record, the offence is the same as in the first record because a) the offence types are the same and b) the offence ID is the same. A second record is required because the order ID is different (the parole order).

Person ID	Offence ID	Offence type	Order ID
6	1	1350	12

6	1	1350	13
---	---	------	----

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

No null values.

[Youth Justice Offence file cluster](#)

[Youth Justice](#), Standard 24/06/2024

Implementation start date: 01/07/2023

DSS specific information:

The offence identifier allows for a single offence to be mapped to multiple orders.

For example, a young person is serving a sentence in detention for offence type 1350. They are released on parole/supervised release in relation to this offence.

The first record shows the young person was supervised under order ID 12 (the sentenced detention) in relation to offence type 1350. In the second record, the offence is the same as in the first record because a) the offence types are the same and b) the offence ID is the same. A second record is required because the order ID is different (the parole order).

Person ID	Offence ID	Offence type	Order ID
6	1	1350	12
6	1	1350	13

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

No null values.

[Youth Justice Offence file cluster](#)

[Youth Justice](#), Superseded 24/06/2024

DSS specific information:

The offence identifier allows for a single offence to be mapped to multiple orders.

For example, a young person is serving a sentence in detention for offence type 1350. They are released on parole/supervised release in relation to this offence.

The first record shows the young person was supervised under order ID 12 (the sentenced detention) in relation to offence type 1350. In the second record, the offence is the same as in the first record because a) the offence types are the same and b) the offence ID is the same. A second record is required because the order ID is different (the parole order).

Person ID	Offence ID	Offence type	Order ID
6	1	1350	12
6	1	1350	13

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

No null values.