

# **National Healthcare Agreement: PB g-Better health: the rate of Staphylococcus aureus (including MRSA) bacteraemia is no more than 2.0 per 10,000 occupied bed days for acute care public hospitals by 2011–12 in each state and territory, 2014**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# National Healthcare Agreement: PB g-Better health: the rate of *Staphylococcus aureus* (including MRSA) bacteraemia is no more than 2.0 per 10,000 occupied bed days for acute care public hospitals by 2011–12 in each state and territory, 2014

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	PB g-The rate of <i>Staphylococcus aureus</i> (including MRSA) bacteraemia is no more than 2.0 per 10,000 occupied bed days for acute care public hospitals by 2011–12 in each state and territory, 2014
<b>METEOR identifier:</b>	517690
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 14/01/2015
<b>Description:</b>	The rate of <i>Staphylococcus aureus</i> (including methicillin-resistant <i>Staphylococcus aureus</i> (MRSA)) bacteraemia is no more than 2.0 per 10,000 patient days for acute care public hospitals by 2011–12 in each state and territory.
<b>Indicator set:</b>	<a href="#">National Healthcare Agreement (2014)</a> <a href="#">Health</a> , Superseded 14/01/2015
<b>Outcome area:</b>	<a href="#">Hospital and Related Care</a> <a href="#">Health</a> , Standard 07/07/2010 <a href="#">National Health Performance Authority (retired)</a> , Retired 01/07/2016

## Collection and usage attributes

**Computation description:** Acute care public hospitals are defined as all public hospitals including those hospitals defined as public psychiatric hospitals in the Public Hospital Establishment National Minimum Data Set. All types of public hospitals are included, both those focusing on acute care, and those focusing on non-acute or sub-acute care, including psychiatric, rehabilitation and palliative care.

Unqualified newborns are included in the indicator. Hospital boarders and posthumous organ procurement are excluded from the indicator.

A patient-episode of *Staphylococcus aureus* bacteraemia (SAB) is defined as a positive blood culture for *Staphylococcus aureus*. For surveillance purposes, only the first isolate per patient is counted, unless at least 14 days has passed without a positive blood culture, after which an additional episode is recorded.

A SAB will be considered to be healthcare-associated if: the first positive blood culture is collected more than 48 hours after hospital admission or less than 48 hours after discharge, OR, if the first positive blood culture is collected 48 hours or less after admission and one or more of the following key clinical criteria was met for the patient-episode of SAB:

1. SAB is a complication of the presence of an indwelling medical device (e.g. intravascular line, haemodialysis vascular access, cerebrospinal fluid (CSF) shunt, urinary catheter)
2. SAB occurs within 30 days of a surgical procedure where the SAB is related to the surgical site
3. An invasive instrumentation or incision related to the SAB was performed within 48 hours
4. SAB is associated with neutropenia ( $<1 \times 10^9$ ) contributed to by cytotoxic therapy

Exclusions:

Cases where a known previous positive test has been obtained within the last 14 days are excluded. For example: If a patient has SAB in which 4 sets of blood cultures are positive over the initial 3 days of the patient's admission only one episode of SAB is recorded. If the same patient had a further set of positive blood cultures on day 6 of the same admission, these would not be counted again, but would be considered part of the initial patient-episode.

Note: If the same patient had a further positive blood culture 20 days after admission (i.e. greater than 14 days after their last positive on day 6), then this would be considered a second patient-episode of SAB.

Denominator: include unqualified newborns, exclude posthumous organ procurement and hospital boarders.

See [Establishment—number of patient days, total N\[N\(7\)\]](#) for the definition of patient days. Also included in the denominator are patient days for unqualified newborns, which are not covered in the linked definition. Patient days for unqualified newborns must be reported in addition to patient days as defined in the link.

Analysis by state and territory is based on location of the hospital.

Presented as a number per 10,000 patient days.

Coverage: Denominator ÷ Number of patient days for all public hospitals in the state or territory.

Any variation from the specifications by jurisdictions will be footnoted and described in the data quality statement.

**Computation:**

10,000 patient days × (Numerator ÷ Denominator)

**Numerator:**

SAB patient episodes (as defined in the Computation description) associated with acute care public hospitals.

**Numerator data elements:**

**Data Element / Data Set**

[Establishment—organisation identifier \(Australian\), NNX\[X\]NNNNN](#)

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Person—person identifier, XXXXXX\[X\(14\)\]](#)

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of care—additional diagnosis, code \(ICD-10-AM 7th edn\) ANN{,N\[N\]}](#)

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—condition onset flag, code N](#)

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Denominator:**

Number of patient days for public acute care hospitals under surveillance (i.e. only for hospitals included in the surveillance arrangements).

**Denominator data elements:**

**Data Element / Data Set**

Methicillin-resistant *Staphylococcus aureus* (MRSA)/Methicillin-sensitive *Staphylococcus aureus* (MSSA) indicator

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—admission date, DDMMYYYY](#)

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Establishment—organisation identifier \(Australian\), NNX\[X\]NNNNN](#)

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—separation date, DDMMYYYY](#)

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

**Disaggregation:**

2012-13—State and territory, by:

- Methicillin-resistant *Staphylococcus aureus* (MRSA)/Methicillin-sensitive *Staphylococcus aureus* (MSSA)

Some disaggregation may result in numbers too small for publication.

**Disaggregation data elements:**

**Data Element / Data Set**

Methicillin-resistant *Staphylococcus aureus* (MRSA)/Methicillin-sensitive *Staphylococcus aureus* (MSSA) indicator

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Establishment—Australian state/territory identifier, code N](#)

**Data Source**

[State/territory infection surveillance data](#)

**Guide for use**

Data source type: Administrative by-product data

**Comments:**

Most recent data available for 2014 Council of Australian Governments (COAG) Reform Council (CRC) report: 2012–13.

Baseline: 2009–10.

The number of SAB patient episodes associated with acute public hospitals under surveillance includes SAB patient episodes associated with all public hospitals, and the number of patient days for public acute care hospitals under surveillance includes the number of patient days for all public hospitals under surveillance.

For some states and territories there is less than 100 per cent coverage of hospitals. This may impact on the reported rate. For those jurisdictions with incomplete coverage of acute care public hospitals (in the numerator), only patient days for those hospitals that contribute data are included (in the denominator). Specifically, if a hospital was not included in the SAB surveillance arrangements for part of the year, then the patient days for that part of the year are excluded. If part of the hospital was not included in the SAB surveillance arrangements (e.g. children's wards, psychiatric wards), then patient days for that part of the hospital are excluded. Patient days for 'non-acute' hospitals (such as rehabilitation and psychiatric hospitals) are included if the hospital was included in the SAB surveillance arrangements, but not otherwise. However, all these patient days are included in the coverage rate denominator measure of total number of patient days for all public hospitals in the state or territory.

Some states operated a 'signal surveillance' arrangement for smaller hospitals whereby the hospital notifies the appropriate authority if a SAB case is identified, but the hospital is not considered to have formal SAB surveillance as per larger hospitals. Where this arrangement is in place, these hospitals should be included as part of the indicator. That is, SAB patient episodes and patient days should be included as 'under surveillance'.

Only episodes associated with acute public hospital care in each jurisdiction should be counted. If a case is associated with care provided in another jurisdiction (cross border flows) then it is reported, where known, by the jurisdiction where the care associated with the SAB occurred.

There may be patient episodes of SAB identified by a hospital which did not originate in the identifying hospital (as determined by the definition of a patient episode of SAB), but in another public hospital. If the originating hospital is under surveillance, then the patient episode of SAB should be attributed to the originating hospital and should be included as part of the indicator. If the originating hospital is not under SAB surveillance, then the patient episode is unable to be included in the indicator.

Patient episodes associated with care provided by private hospitals and non-hospital health care are excluded.

Patient days for unqualified newborns are included. Patient days for hospital boarders and posthumous organ procurement are excluded.

Almost all patient episodes of SAB will be diagnosed when the patient is an admitted patient. However, the intention is that patient episodes are reported whether they were associated with admitted patient care or non-admitted patient care in public acute care hospitals.

Where there is significant variation, for example non-coverage of cases diagnosed less than 48 hours after admission, in the data collection arrangements it will affect the calculation of values across states and territories.

Variation in admission practices across jurisdictions will influence the denominator for this indicator, impacting on the comparability of rates.

Jurisdictional manuals should be referred to for full details of definitions used in infection control surveillance.

## Representational attributes

**Representation class:** Rate

**Data type:** Real  
**Unit of measure:** Episode  
**Format:** NN[N]

## Data source attributes

**Data sources:**

### Data Source

[State/territory infection surveillance data](#)

#### Frequency

Annual

#### Data custodian

State/territory health authorities

### Data Source

[State/territory admitted patient data](#)

#### Frequency

Annual

#### Data custodian

State/territory health authorities

## Accountability attributes

**Reporting requirements:** National Healthcare Agreement  
**Organisation responsible for providing data:** Australian Institute of Health and Welfare

**Further data development / collection required:** Specification: Final, the measure meets the intention of the indicator.

## Relational attributes

**Related metadata references:**

Supersedes [National Healthcare Agreement: PB g-Better health: the rate of Staphylococcus aureus \(including MRSA\) bacteraemia is no more than 2.0 per 10,000 occupied bed days for acute care public hospitals by 2011–12 in each state and territory, 2013](#)

[Health](#), Superseded 30/04/2014

Has been superseded by [National Healthcare Agreement: PB g-Better health: the rate of Staphylococcus aureus \(including MRSA\) bacteraemia is no more than 2.0 per 10,000 occupied bed days for acute care public hospitals by 2011–12 in each state and territory, 2015](#)

[Health](#), Superseded 08/07/2016

See also [National Healthcare Agreement: PI 22-Healthcare associated infections, 2014](#)

[Health](#), Superseded 14/01/2015