

Person with cancer—extraprostatic extension indicator, present/indeterminate/not identified code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—extraprostatic extension indicator, present/indeterminate/not identified code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Extraprostatic extension presence
METEOR identifier:	520906
Registration status:	Health , Standard 14/05/2015
Definition:	An indicator of the presence of extraprostatic extension (EPE) on the prostate of a person with prostate cancer, as represented by a code.
Context:	Extraprostatic extension is a prognostic indicator in prostate cancer.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Person with cancer—extraprostatic extension indicator
METEOR identifier:	587669
Registration status:	Health , Standard 14/05/2015
Definition:	An indicator of the presence of extraprostatic extension (EPE) on the prostate of a person with prostate cancer.
Object class:	Person with cancer
Property:	Extraprostatic extension indicator

Source and reference attributes

Submitting organisation:	Cancer Australia
---------------------------------	------------------

Value domain attributes

Identifying and definitional attributes

Value domain:	Present/indeterminate/not identified code N
METEOR identifier:	587480
Registration status:	Health , Standard 14/05/2015
Definition:	A code set representing 'present', 'indeterminate' and 'not identified' responses.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Present
	2	Indeterminate

Source and reference attributes

Submitting organisation: Cancer Australia

Data element attributes

Collection and usage attributes

Guide for use:

Record the presence of extraprostatic extension (EPE) in a person with prostate cancer. This item should be completed both after diagnostic testing/imaging is completed and after surgery.

Record "present" where EPE is clearly present, record "indeterminate" where it is unclear if EPE is present, and record "not identified" when there is no indication of EPE. Further details regarding this can be found in the RCPA Prostate cancer (radical prostatectomy) structured reporting protocol.

The assessment of EPE can be difficult, as the prostate is not surrounded by a discrete, well defined fibrous capsule. Adding to the difficulty, there is often a fibrotic reaction in the vicinity of EPE, and the neoplastic extraprostatic glands are often seen in fibrous tissue, not fat.

Therefore, EPE can be identified in several different situations and can be diagnosed by one of the following:

- The presence of neoplastic glands abutting or within periprostatic fat (most useful at the lateral, posterolateral and posterior aspects of the gland).
- Neoplastic glands surrounding nerves in the neurovascular bundle (posterolaterally).
- The presence of a nodular extension of tumour beyond the periphery of the prostate. This latter situation is best identified at low power magnification. In this assessment, the edge of the prostate is defined as the plane between fat and the condensed fibromuscular prostatic stroma which is best initially determined in a region without distortion by tumour.

Tracking along the edge of the prostate at low power, EPE is present when there is bulging of the tumour beyond the normal rounded contour of the prostate gland.

Collection methods: Collect from pathology reports or systems.

Source and reference attributes

Submitting organisation: Cancer Australia

Reference documents: Royal College of Pathologists of Australasia 2014. Prostate cancer (radical prostatectomy) structured reporting protocol 2nd edition. RCPA, Sydney. Viewed 21 December 2014, <http://www.rcpa.edu.au/getattachment/f506078a-3bd4-4a1c-8b8c-85d2f2dfcf61/Protocol-prostate-cancer-radical-prostatectomy.aspx>

Relational attributes

Related metadata references: See also [Person with cancer—extraprostatic extension focality, code N Health](#), Standard 14/05/2015

Implementation in Data Set Specifications: [Prostate cancer \(clinical\) NBPDS Health](#), Standard 14/05/2015