

# **Female—blood transfusion due to primary postpartum haemorrhage indicator**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Female—blood transfusion due to primary postpartum haemorrhage indicator

## Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	522209
Registration status:	<a href="#">Health</a> , Superseded 17/12/2021
Definition:	An indicator of whether a female received a blood transfusion as a result of <a href="#">primary postpartum haemorrhage</a> .

## Object Class attributes

### Identifying and definitional attributes

Object class:	<a href="#">Female</a>
Definition:	A human being of the sex which conceives and brings forth young.
Specialisation of:	<a href="#">Person/group of persons</a>

### Source and reference attributes

Submitting organisation:	Australia Institute of Health and Welfare
Origin:	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd.

## Property attributes

### Identifying and definitional attributes

Property:	<a href="#">Blood transfusion due to primary postpartum haemorrhage indicator</a>
Definition:	An indicator of whether blood or blood products or substitutes were received intravenously due to abnormal or excessive bleeding from the genital tract within the first 24 hours postpartum.
Property group:	<a href="#">Birth event</a>

### Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
--------------------------	---

## Data element concept attributes

### Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
--------------------------	---

## Relational attributes

Related metadata references:	Has been superseded by <a href="#">Person—blood transfusion indicator</a> <a href="#">Health</a> , Standard 17/12/2021
------------------------------	--

**Data Elements  
implementing this Data  
Element Concept:**

[Female—blood transfusion due to primary postpartum haemorrhage indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Superseded 17/12/2021

[Female—blood transfusion due to primary postpartum haemorrhage indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Superseded 02/08/2017

[Female—blood transfusion due to primary postpartum haemorrhage indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Superseded 03/12/2020