

Patient—ear nose and throat surgery type recommended, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—ear nose and throat surgery type recommended, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Ear nose and throat surgery type recommended (code)
METEOR identifier:	523126
Registration status:	Indigenous , Standard 05/09/2014
Definition:	The type of surgical procedure recommended for an ear, nose and throat patient, as represented by a code.
Data Element Concept:	Patient—ear, nose and throat surgery type recommended
Value Domain:	Ear nose and throat surgery type recommended

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Myringoplasty (Tympanoplasty type 1)
	2	Myringotomy
	3	Adenoidectomy
	4	Grommets
	5	Exploration under anaesthetic (EUA)
	6	Exploration of middle ear/mastoid
	7	Removal of tubes
	8	Other procedure
Supplementary values:	98	Unknown
	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 1 Myringoplasty (Tympanoplasty type 1)

Repair of the eardrum (tympanic membrane) when the ossicular chain is intact.

CODE 2 Myringotomy

A surgical procedure in which a tiny incision is created in the eardrum to relieve pressure caused by excessive build-up of fluid, or to drain pus from the middle ear.

CODE 3 Adenoidectomy

The surgical removal of the adenoids for reasons which include impaired breathing through the nose, chronic infections, or recurrent earaches.

CODE 4 Grommets

Where a small, plastic tube is inserted through the eardrum into the middle ear to assist in preventing infection.

CODE 5 Exploration under anaesthetic (EUA)

An examination of the ear is done when the patient is under general anaesthetic as a diagnosis could not be confirmed through a consultation with a health care professional.

CODE 6 Exploration of middle ear/mastoid

Is used to ascertain the health condition of the ear by drilling through the bone behind the ear which enables access to the middle ear and eardrum.

CODE 7 Removal of tubes

Is the removal of the small, plastic tube which was inserted through the eardrum to assist in preventing infection.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Related metadata references:See also [Patient—ear nose and throat surgery recommended indicator, yes/no/too young for surgery code N Indigenous](#), Standard 05/09/2014**Implementation in Data Set Specifications:**[Surgery recommendations cluster Indigenous](#), Standard 05/09/2014**Implementation start date:** 01/04/2012**Conditional obligation:** Conditional on a 'yes' response to Patient-ear nose and throat surgery recommended indicator.**DSS specific information:** This data element has a maximum occurrence of 2. The first occurrence is reported for the right ear and the second occurrence is reported for the left ear.