

Person—cancer screening test result, bowel cancer code N[A]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—cancer screening test result, bowel cancer code N[A]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Bowel cancer screening test result
METEOR identifier:	530020
Registration status:	Health , Standard 29/08/2014
Definition:	The outcome of the person's bowel cancer screening test, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Person—cancer screening test result
METEOR identifier:	530013
Registration status:	Health , Standard 29/08/2014
Definition:	The outcome of the person's cancer screening test.
Object class:	Person
Property:	Cancer screening test result

Value domain attributes

Identifying and definitional attributes

Value domain:	Bowel cancer screening test result code N[A]
METEOR identifier:	530018
Registration status:	Health , Standard 29/08/2014
Definition:	A code set representing the result of a bowel cancer screening test.

Representational attributes

Representation class:	Code
Data type:	String
Format:	N[A]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Positive
	2	Negative
	3	Inconclusive
	4	No result
	1F	Positive - faulty
	2F	Negative - faulty
	3F	Inconclusive - faulty

Collection and usage attributes

Guide for use:

Bowel cancer screening typically involves the application of a [faecal occult blood test](#) (FOBT), in which FOBT are tested in a laboratory for the presence of blood.

CODE 1 Positive

Blood was detected in either faecal sample.

CODE 2 Negative

Blood was not detected in either faecal sample.

CODE 3 Inconclusive

Only one faecal sample was taken and it was negative.

CODE 4 No result

No result was detected in either faecal sample.

CODE 1F Positive - faulty

Blood was detected in either faecal sample, however the test provided was inaccurate and results should be disregarded.

CODE 2F Negative - faulty

Blood was not detected in either faecal sample, however the test provided was inaccurate and results should be disregarded.

CODE 3F Inconclusive - faulty

Only one faecal sample was taken and it was negative, however the test provided was inaccurate and results should be disregarded.

CODE 4F No result - faulty

No result was detected in either faecal sample, however the test provided was inaccurate and results should be disregarded.

Data element attributes

Relational attributes

DSS specific information:

A [faecal occult blood test](#) (FOBT) screening test is:

- positive if blood was detected in either sample
- negative if blood was not detected in either sample
- inconclusive if only one sample was taken and it was negative
- no result if screening test could not be analysed.

Other screening tests, when they become available, may have different indications for positive results. However, a positive result with any screening test is one that means further investigations are required.

Participants with a positive result are encouraged to visit their primary health care professional to follow up this finding. Those with an inconclusive result are requested to complete another FOBT kit, while those with a negative result are reminded that it is recommended they rescreen every two years.

At this stage, the screening pathway does not account for false negatives or positives.

[Bowel cancer screening test cluster](#)
[Health](#), Superseded 05/02/2021

DSS specific information:

A [faecal occult blood test](#) (FOBT) screening test is:

- positive if blood was detected in either sample
- negative if blood was not detected in either sample
- inconclusive if only one sample was taken and it was negative
- no result if screening test could not be analysed.

Other screening tests, when they become available, may have different indications for positive results. However, a positive result with any screening test is one that means further investigations are required.

Participants with a positive result are encouraged to visit their primary health care professional to follow up this finding. Those with an inconclusive result are requested to complete another FOBT kit, while those with a negative result are reminded that it is recommended they rescreen every two years.

At this stage, the screening pathway does not account for false negatives or positives.

[Bowel cancer screening test cluster](#)
[Health](#), Standard 05/02/2021

DSS specific information:

A [faecal occult blood test](#) (FOBT) screening test is:

- positive if blood was detected in either sample
- negative if blood was not detected in either sample
- inconclusive if only one sample was taken and it was negative
- no result if screening test could not be analysed.

Other screening tests, when they become available, may have different indications for positive results. However, a positive result with any screening test is one that means further investigations are required.

Participants with a positive result are encouraged to visit their primary health care professional to follow up this finding. Those with an inconclusive result are requested to complete another FOBT kit, while those with a negative result are reminded that it is recommended they rescreen every two years.

At this stage, the screening pathway does not account for false negatives or positives.

**Implementation in
Indicators:**

Used as Numerator

[National Bowel Cancer Screening Program: PI 02-Screening positivity rate](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 02-Screening positivity rate](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 03-Diagnostic assessment rate](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 03-Diagnostic assessment rate](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 04-Time between positive screen and diagnostic assessment](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 04-Time between positive screen and diagnostic assessment](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05b-Positive predictive value of diagnostic assessment for detecting adenoma](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05b-Positive predictive value of diagnostic assessment for detecting adenoma](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06b-Positive predictive value of diagnostic assessment for detecting colorectal cancer](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06b-Positive predictive value of diagnostic assessment for detecting colorectal cancer](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 09-Adverse events \(hospital admission rate\)](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 09-Adverse events \(hospital admission rate\)](#)
[Health](#), Superseded 06/09/2018

Used as Disaggregation

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)
[Health](#), Standard 06/09/2018

Used as Denominator

[National Bowel Cancer Screening Program: PI 03-Diagnostic assessment rate](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 03-Diagnostic assessment rate](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05b-Positive predictive value of diagnostic assessment for detecting adenoma](#)
[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05b-Positive predictive value of diagnostic assessment for detecting adenoma](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06b-Positive predictive value of diagnostic assessment for detecting colorectal cancer](#)
[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06b-Positive predictive value of](#)

[diagnostic assessment for detecting colorectal cancer](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 09-Adverse events \(hospital admission rate\)](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 09-Adverse events \(hospital admission rate\)](#)

[Health](#), Superseded 06/09/2018