

Anatomical site within the colon code XX[XX]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Anatomical site within the colon code XX[XX]

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	530150
Registration status:	Health , Standard 29/08/2014
Definition:	A code set representing the anatomical site within the colon.

Representational attributes

Representation class:	Code
Data type:	String
Format:	XX[XX]
Maximum character length:	4

	Value	Meaning
Permissible values:	TI	Terminal ileum
	CAEC	Caecum
	ASC	Ascending colon
	HEP	Hepatic flexure
	TRAN	Transverse colon
	SPLN	Splenic flexure
	DESC	Descending colon
	SIG	Sigmoid colon
Supplementary values:	RECT	Rectum
	99	Not stated or unknown

Collection and usage attributes

Guide for use:

Locations within the colon are listed in order from the start point at the junction with the small intestine, to the anus. Locations can be used by clinicians to note the sites of any abnormalities discovered.

TI Terminal ileum

The terminal ileum is the end of the small intestine.

CAEC Caecum

The caecum is the pouch where the large intestine begins. It is where the ileum opens from one side and continues with the colon.

ASC Ascending colon

The ascending colon is located along the right side of the abdominal cavity.

HEP Hepatic flexure

The hepatic flexure is on the right side of the body near the liver and connects the ascending colon and the transverse colon.

TRAN Transverse colon

The transverse colon is the large part of the colon that attaches the ascending colon to the descending colon by crossing the abdominal cavity.

SPLN Splenic flexure

The splenic flexure is the sharp bend of the colon where the transverse colon joins the descending colon. It is located under the spleen.

DESC Descending colon

The descending colon is located on the left abdominal wall to the pelvic region.

SIG Sigmoid colon

The sigmoid colon is the part of the colon that forms an angle medially from the pelvis to form an S-shaped curve.

RECT Rectum

The rectum is a short, muscular tube that forms the lowest portion of the large intestine and connects it to the anus.

Relational attributes

**Data elements
implementing this value
domain:**

[Patient—anatomical site of colorectal polyps, code XX\[XX\]](#)

[Health](#), Standard 29/08/2014

[Patient—colonoscopy depth, anatomical site within the bowel code XX\[XX\]](#)

[Health](#), Standard 29/08/2014