Patient—colorectal polyps found in colon indicator, yes/no code N
Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—colorectal polyps found in colon indicator, yes/no code N

Identifying and definitional attributes

Metadata item type: Data Element

Short name: Polyps found in colon indicator

METEOR identifier: 530230

Registration status: Health, Standard 29/08/2014

Definition: An indicator of whether <u>colorectal polyps</u> were found in the patient's colon, as

represented by a code.

Data Element Concept: Patient—colorectal polyps found in colon indicator

Value Domain: Yes/no code N

Value domain attributes

Representational attributes

Representation class: Code

Data type: Boolean

Format: N
Maximum character length: 1

Value Meaning

Permissible values: 1 Yes

2 No

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Collection and usage attributes

Guide for use: CODE 1 Yes

To be recorded when colorectal polyps are found in a person's colon.

This means there are abnormalities in a person's colon. As most bowel cancers are known to initiate from polyps (Cappell 2005), more tests and potential removal

may be necessary.

CODE 2 No

To be recorded when no colorectal polyps are found in a person's colon.

This means there are no abnormalities in a person's colon and the person is

unlikely to have bowel cancer.

Source and reference attributes

Reference documents: Cappell MS 2005. The pathophysiology, clinical presentation, and diagnosis of

colon cancer and adenomatous polyps. Medical Clinics of North America 89(1):1-

42.

Relational attributes

Related metadata references:

See also Patient—colorectal polyp type, code N[N]

Health, Standard 29/08/2014

See also Patient—colorectal polyps greater than or equal to 10 mm indicator,

Yes/no code N

Health, Standard 29/08/2014

See also Patient—grade of colorectal polyps found, code N

Health, Standard 06/09/2018

See also Patient—grade of colorectal polyps found, code N

Health, Superseded 06/09/2018

See also Patient—number of colorectal polyps found, N[NN]

Health, Standard 06/09/2018

See also Patient—number of colorectal polyps found, number N[NN]

Health, Superseded 06/09/2018

Implementation in Data Set Specifications:

Implementation in Data Set Bowel cancer diagnostic assessment cluster

Health, Superseded 06/09/2018

Bowel cancer diagnostic assessment cluster

Health, Superseded 16/01/2020

Bowel cancer diagnostic assessment cluster

Health, Superseded 17/12/2021

Bowel cancer diagnostic assessment cluster

Health, Standard 17/12/2021

Implementation in Indicators:

Used as Numerator

National Bowel Cancer Screening Program: PI 05a-Adenoma detection rate

Health, Standard 06/09/2018

National Bowel Cancer Screening Program: PI 05b-Positive predictive value of

diagnostic assessment for detecting adenoma

Health, Standard 06/09/2018

Used as Disaggregation

National Bowel Cancer Screening Program: PI 07-Interval cancer rate

Health, Superseded 06/09/2018

National Bowel Cancer Screening Program: PI 07-Interval cancer rate

Health, Standard 06/09/2018