

Patient—audiology follow-up indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Patient—audiology follow-up indicator, yes/no code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Audiology follow-up indicator
METEOR identifier:	535132
Registration status:	Indigenous , Standard 05/09/2014
Definition:	An indicator of whether a patient is recommended to have an audiology follow-up by a hearing specialist, as represented by a code.
Data Element Concept:	Patient—audiology follow-up indicator
Value Domain:	Yes/no/not applicable/unknown/not stated/inadequately described code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Yes
	2	No
Supplementary values:	7	Not applicable
	8	Unknown
	9	Not stated/inadequately described

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

Data element attributes

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

Relational attributes

Related metadata references:	See also Patient—audiology follow-up interval, code N Indigenous , Standard 05/09/2014
Implementation in Data Set Specifications:	Follow-up required cluster Indigenous , Standard 05/09/2014 Implementation start date: 01/04/2012

