

Cancer treatment—primary surgical treatment complication indicator, yes/no/unknown code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Cancer treatment—primary surgical treatment complication indicator, yes/no/unknown code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Surgical treatment complication indicator
Synonymous names:	Critical event indicator
METEOR identifier:	546455
Registration status:	Health , Standard 08/05/2014
Definition:	An indicator of the occurrence of treatment complications within 30 days of primary surgery for cancer treatment, as represented by a code.
Data Element Concept:	Cancer treatment—primary surgical treatment complication indicator
Value Domain:	Yes/no/unknown code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Yes
	2	No
Supplementary values:	8	Unknown

Data element attributes

Collection and usage attributes

Guide for use:	Record the whether there were any critical events/ treatment complications within 30 days of primary surgery for cancer treatment. These include: • Unplanned return to theatre • Death within 30 days of surgery • Post-operative fistula • Intra-operative haemorrhage (more than 6 units of transfusion) • Pulmonary embolism • Unplanned transfer to intensive care unit (ICU) • Post-operative hospital stay of greater than 21 days
----------------	---

Collection methods:	Collect from medical records.
---------------------	-------------------------------

Source and reference attributes

Submitting organisation:	Cancer Australia
--------------------------	------------------

Reference documents: Gynaecology Oncology Subspecialty Practice Improvement Critical Project (GO SPICE)
Royal Australian and New Zealand College of Obstetricians and Gynaecologists (RANZCOG)

Relational attributes

Implementation in Data Set Specifications: [Gynaecological cancer \(clinical\) DSS](#)
[Health](#), Superseded 14/05/2015
[Gynaecological cancer \(clinical\) NBPDS](#)
[Health](#), Standard 14/05/2015