Cancer treatment—systemic therapy treatment modification indicator, yes/no/unknown code N

Exported from METEOR (AIHW's Metadata Online Registry)

Cancer treatment—systemic therapy treatment modification indicator, yes/no/unknown code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Systemic therapy modification indicator
METEOR identifier:	546764
Registration status:	Health, Standard 08/05/2014
Definition:	An indicator of whether there was modification made to a patient's planned systemic therapy treatment for cancer, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Cancer treatment—systemic therapy treatment modification indicator
METEOR identifier:	546762
Registration status:	Health, Standard 08/05/2014
Definition:	An indicator of whether there was modification made to a patient's planned systemic therapy treatment for cancer.
Object class:	Cancer treatment
Property:	Systemic therapy treatment modification indicator

Source and reference attributes

Submitting organisation:	Cancer Australia

Value domain attributes

Identifying and definitional attributes

Value domain:	Yes/no/unknown code N
METEOR identifier:	428208
Registration status:	Health, Standard 08/05/2014 Tasmanian Health, Standard 06/12/2023
Definition:	A code set representing 'yes', 'no' and 'unknown' responses.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	**Meaning**
Permissible values:	1	Yes
	2	No
Supplementary values:	8	Unknown

Data element attributes

Collection and usage attributes

Guide for use: Record whether there was a modification made to systemic therapy treatment from the initial treatment plan or systemic therapy schedule for a course of cancer treatment. Systemic therapy encompasses chemotherapy, hormone therapy and immunotherapy and modifications include (but are not limited to):

- Dose decrease
- Drug omission
- Drug delivery interval increase
- Dose increase
- Drug introduction
- Drug delivery interval decrease

Treatment modification is often due to a patient's response to treatment or a change in the extent or pathway of the disease.

Collection methods: Collect from patient medical records.

Source and reference attributes

Submitting organisation: Cancer Australia

Reference documents: Cancer Australia Working Group, 2010.

Relational attributes

Implementation in Data Set Specifications: Gynaecological cancer (clinical) DSS
  Health, Superseded 14/05/2015
Conditional obligation: This data element is to be recorded for patients who have undergone systemic therapy as part of their cancer treatment. This includes chemotherapy, hormone therapy and immunotherapy.

Gynaecological cancer (clinical) NBPDS
  Health, Standard 14/05/2015
Conditional obligation:

This data element is to be recorded for patients who have undergone systemic therapy as part of their cancer treatment. This includes chemotherapy, hormone therapy and immunotherapy.