Admitted subacute and non-acute hospital care DSS 2014-15

Exported from METEOR (AIHW's Metadata Online Registry)

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Admitted subacute and non-acute hospital care DSS 2014-15

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Admitted patient care NMDS 2014-15	535047		
-	Elective surgery waiting times cluster	545693		
	- <u>Listing date for care</u>	269957	Date/Time [8]	DDMMYYYY The day of a particular month and year.
	- Clinical urgency	270008	Number [1]	Admission within 30 days desirable for a condition that has the potential to deteriorate quickly to the point that it may become an emergency Admission within 90 days desirable for a condition causing some pain, dysfunction or disability but which is not likely to deteriorate quickly or become an emergency Admission at some time in the future acceptable for a condition causing minimal or no pain, dysfunction or disability, which is unlikely to deteriorate quickly and which does not have the potential to become an emergency
	- Extended wait patient	269964	Number [1]	1 Extended wait patient 2 Other patient
	- Indicator procedure	514033	String [2]	O1 Cataract extraction O2 Cholecystectomy O3 Coronary artery bypass graft O4 Cystoscopy O5 Haemorrhoidectomy O6 Hysterectomy O7 Inguinal herniorrhaphy O8 Myringoplasty O9 Myringotomy 10 Prostatectomy 11 Septoplasty 12 Tonsillectomy 13 Total hip replacement 14 Total knee replacement 15 Varicose veins stripping and ligation Other
	- Overdue patient	471710	Number [1]	1 Overdue patient 2 Other

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Reason for removal from elective surgery waiting list	471735	Number [1]	Admitted as an elective patient for awaited procedure by or on behalf of this hospital or the state/territory Admitted as an emergency patient for awaited procedure by or on behalf of this hospital or the state/territory Could not be contacted (includes patients who have died while waiting, whether or not the cause of death was related to the condition requiring treatment) Treated elsewhere for awaited procedure, but not on behalf of this hospital or the state/territory Surgery not required or declined Transferred to another hospital's waiting list Not known	
-	Surgical specialty	270146	String [2]	01 Cardio-thoracic surgery 02 Ear, nose and throat surgery 03 General surgery 04 Gynaecology 05 Neurosurgery 06 Ophthalmology 07 Orthopaedic surgery 08 Plastic surgery 09 Urology 10 Vascular surgery 11 Other	
-	Waiting time at removal from elective surgery waiting list	471744	Number [4]	N[NNN] Total number of days.	
-	Establishment identifier	269973	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.	
-	Australian postcode (address)	429894	Number [4]	{NNNN} The Postcode datafile code set representing Australian postcodes as defined by Australia Post.	
-	Contract establishment identifier	270013	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.	
-	Number of qualified days for newborns	270033	Number [5]	N[NNNN] Total number of days.	
-	Admission date	269967	Date/Time [8]	DDMMYYYY The day of a particular month and year.	

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Mode of admission	269976	Number [1]	1 Admitted patient transferred from another hospital 2 Statistical admission - episode type change 3 Other
-	<u>Urgency of admission</u>	269986	Number [1]	1 Urgency status assigned - emergency 2 Urgency status assigned - elective 3 Urgency status not assigned 9 Not known/not reported
-	Condition onset flag	496512	Number [1]	Condition with onset during the episode of admitted patient care Condition not noted as arising during the episode of admitted patient care Not reported
-	<u>Duration of continuous</u> <u>ventilatory support</u>	479010	Number [4]	NNNN Total number of hours.
-	Intended length of hospital stay	270399	Number [1]	1 Intended same-day 2 Intended overnight
-	Length of stay in intensive care unit	471553	Number [4]	NNNN Total number of hours.
-	Number of days of hospital- in-the-home care	270305	Number [3]	{N[NN]} Total number of days.
-	Total leave days	270251	Number [3]	N[NN] Total number of days.
-	Admitted patient election status	326619	Number [1]	1 Public 2 Private
-	<u>Procedure</u>	514040	Number [7]	NNNNN-NN The Australian Classification of Health Intervention (8th edition) code set representing procedures.
-	Source of referral to public psychiatric hospital	269947	String [2]	01 Private psychiatric practice 02 Other private medical practice 03 Other public psychiatric hospital 04 Other health care establishment 05 Other private hospital 06 Law enforcement agency 07 Other agency 08 Outpatient department 09 Other 10 Unknown

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Separation date	270025	Date/Time [8]	DDMMYYYY The day of a particular month and year.	
-	Mode of separation	270094	Number [1]	Discharge/transfer to (an)other acute hospital Discharge/transfer to a residential aged care service, unless this is the usual place of residence Discharge/transfer to (an)other psychiatric hospital Discharge/transfer to other health care accommodation (includes mothercraft hospitals) Statistical discharge - type change Left against medical advice/discharge at own risk Statistical discharge from leave Died Other (includes discharge to usual residence, own accommodation/welfare institution (includes prisons, hostels and group homes providing primarily welfare services))	
-	Additional diagnosis	514271	String [6]	ANN{.N[N]} The ICD-10-AM (8th edition) code set representing diagnoses.	
-	Inter-hospital contracted patient	472024	Number [1]	Contracted (destination) hospital Inter-hospital contracted patient from public sector hospital Inter-hospital contracted patient from private sector hospital Contracting (originating) hospital Inter-hospital contracted patient to public sector hospital Inter-hospital contracted patient to private sector hospital Not inter-hospital contracted Not stated	
-	Mental health legal status	534063	Number [1]	1 Involuntary patient 2 Voluntary patient 9 Not reported/unknown	
-	Total psychiatric care days	552375	Number [5]	N[NNNN] Total number of days.	
-	Principal diagnosis— episode of care	514273	String [6]	ANN{.N[N]} The ICD-10-AM (8th edition) code set representing diagnoses.	

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Funding source for hospital patient	553314	String [2]	Health service budget (not covered elsewhere) Health service budget (due to eligibility for Reciprocal Health Care Agreement) Health service budget (no charge raised due to hospital decision) Health service budget (no charge raised due to hospital decision) Department of Veterans' Affairs Department of Defence Correctional facility Medicare Benefits Scheme Other hospital or public authority (contracted care) Private health insurance Worker's compensation Motor vehicle third party personal claim Other compensation (e.g. public liability, common law, medical negligence) Self-funded Other funding source Not known
-	Australian State/Territory identifier (establishment)	269941	Number [1]	1 New South Wales 2 Victoria 3 Queensland 4 South Australia 5 Western Australia 6 Tasmania 7 Northern Territory 8 Australian Capital Territory 9 Other territories (Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory)
-	Geographic remoteness (establishment)	539871	Number [1]	0 Major cities of Australia 1 Inner regional Australia 2 Outer regional Australia 3 Remote Australia 4 Very remote Australia 5 Migratory 9 Not stated/inadequately described
-	Establishment number	269975	Number [5]	NNNNN A combination of numeric characters that identify an entity.
-	Region code	269940	String [2]	X[X] A combination of alphanumeric characters that identify an entity.
-	Establishment sector	269977	Number [1]	1 Public 2 Private

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Care type	491557	Number [2]	Admitted care 1 Acute care	
				2 Rehabilitation care 3 Palliative care 4 Geriatric evaluation and management 5 Psychogeriatric care 6 Maintenance care 7 Newborn care 8 Other admitted patient care Care other than admitted care 9 Organ procurement—posthumous 10 Hospital boarder	
-	Activity when injured	514277	String [5]	ANNNN The ICD-10-AM (8th edition) code set representing the type of activity being undertaken when injured.	
-	External cause	514295	String [6]	ANN{.N[N]} The ICD-10-AM (8th edition) code set representing external cause of injury, poisoning or other adverse effect.	
-	Place of occurrence of external cause of injury (ICD-10-AM)	514302	String [6]	ANN{.N[N]} The ICD-10-AM (8th edition) code set representing the place where the external cause of injury, poisoning or other adverse effect occurred.	
-	Hospital insurance status	270253	Number [1]	1 Hospital insurance 2 No hospital insurance 9 Unknown	
-	Area of usual residence (SA2)	469909	String [9]	N(9) A code set representing a medium-sized area built from whole Statistical areas level 1 (SA1s). The aim of Statistical areas level 2 (SA2s) is to represent a community that interacts together socially and economically.	
-	Country of birth	459973	Number [4]	NNNN	
				The Standard Australian Classification of Countries (SACC 2011) code set representing a country.	
-	Date of birth	287007	Date/Time [8]	DDMMYYYY	
			[]	The day of a particular month and year.	

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Medicare eligibility status	481841	Number [1]	1 Eligible 2 Not eligible 9 Not stated/unknown	
-	Indigenous status	291036	Number [1]	Aboriginal but not Torres Strait Islander origin Torres Strait Islander but not Aboriginal origin Both Aboriginal and Torres Strait Islander origin Neither Aboriginal nor Torres Strait Islander origin Not stated/inadequately described	
-	<u>Person identifier</u>	290046	String [20]	XXXXXX[X(14)] A logical combination of valid alphanumeric characters that identify an entity.	
-	<u>Sex</u>	287316	Number [1]	1 Male 2 Female 3 Intersex or indeterminate 9 Not stated/inadequately described	
-	Weight in grams (measured)	310245	Number [4]	NNNN Total number of grams.	
-	Record identifier (80 character maximum)	555463	String [80]	X[X(79)] A logical combination of alphanumeric characters that identify an entity.	
-	Clinical assessment only indicator	550492	Number [1]	1 Yes 2 No 8 Unknown 9 Not stated/inadequately described	
-	Palliative care phase	445942	Number [1]	1 Stable 2 Unstable 3 Deteriorating 4 Terminal 9 Not reported	
-	Palliative care phase end date	445598	Date/Time [8]	DDMMYYYY The day of a particular month and year.	
-	Palliative care phase start date	445848	Date/Time [8]	DDMMYYYY The day of a particular month and year.	
-	Primary impairment type (AROC 2012 code)	498519	String [7]	NN.NNNN A code set representing the primary patient impairment which is the reason for the episode of care.	

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Type of maintenance care provided	496467	Number [2]	1 2 3 8 98 99	Convalescent care Respite care Nursing home type care Other maintenance care Unknown Not stated/inadequately described
-	Level of functional independence (FIM™ score)	449150	Number [1]	1 2 3 4 5 6 7	Total assistance with helper Maximal assistance with helper Moderate assistance with helper Minimal assistance with helper Supervision or setup with helper Modified independence with no helper Complete independence with no helper
-	Level of functional independence (RUG-ADL score)	446318	Number [1]	1 2 3 4 5	Independent or supervision only Limited assistance Limited physical assistance or Extensive assistance/total dependence/tube fed Other than two persons physical assist Two or more person physical assist
-	Level of psychiatric symptom severity (HoNOS 65+ score)	449363	Number [1]	0 1 2 3 4	No problems within the period stated Minor problem requiring no action Mild problem but definitely present Moderately severe problem Severe to very severe problem