National Healthcare Agreement: PB e-Better health: by 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate over the 2009 baseline, 2015



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PB e-Better health: by 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate over the 2009 baseline, 2015

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: PB e-By 2018, reduce the national smoking rate to 10 per cent of the population

and halve the Indigenous smoking rate (Baseline specification), 2015

METEOR identifier: 559072

Registration status: Health, Superseded 08/07/2016

Description: Proportion of adults who are current daily smokers.

Indicator set: National Healthcare Agreement (2015)

Health, Superseded 08/07/2016

Outcome area: Prevention

Health, Standard 07/07/2010

Collection and usage attributes

Population group age

from:

18 years

Computation description: Daily smoking: Currently smokes cigarettes (manufactured or roll-your-own) or

equivalent tobacco product every day.

Rates are directly age-standardised to the 2001 Australian population.

Presented as a percentage.

95% confidence intervals and relative standard errors calculated for rates.

Computation: 100 × (Numerator ÷ Denominator)

Numerator: Number of persons aged 18 years and over who are a current daily smoker

Numerator data elements:

Data Element / Data Set

Person—age

Data Source

ABS Australian Health Survey (AHS), 2011-13 (2011-12 Core component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—tobacco smoking status

Data Source

ABS Australian Health Survey (AHS), 2011-13 (2011-12 Core component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—age

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13 (Core component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—tobacco smoking status

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13 (Core component)

Guide for use

Data source type: Survey

Denominator:

Population aged 18 years and over

Denominator data elements:

Data Element / Data Set

Person-age

Data Source

ABS Australian Health Survey (AHS), 2011-13 (2011-12 Core component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person-age

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13 (Core component)

Guide for use

Data source type: Survey

Disaggregation:

2011–12 (previously supplied)—State and territory, by Indigenous status (non-Indigenous and total population).

2012–13 (updated for full AATSIHS)—State and territory, by Indigenous status (Indigenous only).

Some disaggregation may result in numbers too small for publication.

Disaggregation data elements:

Data Element / Data Set

Person—area of usual residence

Data Source

ABS Australian Health Survey (AHS), 2011-13 (2011-12 Core component)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory

Data Element / Data Set

Person—Indigenous status

Data Source

ABS Australian Health Survey (AHS), 2011-13 (2011-12 Core component)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—area of usual residence

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13 (Core component)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory

Comments:

Most recent data available for 2015 National Healthcare Agreement (NHA) performance reporting: 2011-12 (total population, non-Indigenous: AHS); 2012-13 (Indigenous only: AATSIHS).

Baseline: 2007-08 (total population); 2008 (Indigenous status).

National Aboriginal and Torres Strait Islander Social Survey (NATSISS) or National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)/Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS) data may be used for analysis, dependent upon which survey is most recent.

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[N.NN]

Indicator conceptual framework

Framework and dimensions:

Health behaviours

Data source attributes

Data sources:

Data Source

ABS Australian Health Survey (AHS), 2011-13 (2011-12 Core component)

Data custodian

Australian Bureau of Statistics

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13 (Core component)

Data custodian

Australian Bureau of Statistics

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data:

Australian Bureau of Statistics

Benchmark: National Healthcare Agreement Performance Benchmark

By 2018, reduce the national smoking rate to 10 per cent of the population and

halve the Indigenous smoking rate, over the 2009 baseline.

Refer: http://www.federalfinancialrelations.gov.au/content/npa/healthcare/national-

agreement.pdf

NPA on Preventive Health

15(g): Reduction in state baseline for proportion of adults smoking daily commensurate with a two percentage point reduction in smoking from 2007 national baseline by 2011; 3.5 percentage point reduction from 2007 national

baseline by 2013.

collection required:

Further data development / Specification: Final, the measure meets the intention of the indicator.

Relational attributes

Related metadata references:

Supersedes National Healthcare Agreement: PB e-Better health: by 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate over the 2009 baseline, 2014

Health, Superseded 14/01/2015

Has been superseded by National Healthcare Agreement: PB e-Better health: by 2018, reduce the national smoking rate to 10 per cent of the population and halve the Indigenous smoking rate over the 2009 baseline, 2016

Health, Superseded 31/01/2017

See also National Healthcare Agreement: PI 04-Rates of current daily smokers, 2015

Health, Superseded 08/07/2016

See also National Healthcare Agreement: PI 05-Levels of risky alcohol consumption, 2015

Health, Superseded 08/07/2016

See also National Indigenous Reform Agreement: PI 03—Rates of current daily smokers, 2016

Indigenous, Superseded 01/07/2016

See also National Indigenous Reform Agreement: PI 03—Rates of current daily smokers, 2017

Indigenous, Superseded 06/06/2017