

Systemic therapy procedure for cancer cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Systemic therapy procedure for cancer cluster

Identifying and definitional attributes

Metadata item type: Data Set Specification

METEOR identifier: 561601

Registration status: [Health](#), Standard 08/05/2014

DSS type: Data Element Cluster

Scope: Systemic therapy procedures refers to haematologic transplant and endocrine procedures. Haematologic transplants are bone marrow or stem cell transplants performed to protect patients from myelosuppression or bone marrow ablation associated with the administration of high-dose chemotherapy or radiotherapy.

Endocrine therapy is cancer therapy that achieves its antitumour effect through the use of radiation or surgical procedures that suppress the naturally occurring hormonal activity of the patient (when the cancer occurs at another site) and, therefore, alter or affect the long-term control of the cancer's growth.

The systemic therapy procedure cluster consists of those data elements recommended for collection as best practice when the patient receives a systemic therapy procedure as part of the course of treatment for cancer. The systemic therapy procedure cluster collects information on the systemic therapy procedure type and the dates of treatment.

Information on the systemic procedure type is required to evaluate patterns of care, the effectiveness of different treatment modalities and treatment by patient outcome. Collecting the procedure dates will enable an estimate of the time interval from diagnosis to treatment.

The use of standard definitions and formats supports the consistent collection and management of data and enables the integration of data from different sources. It provides a common language facilitating the interpretation and analysis of results, data linkage for statistical purposes, longitudinal studies and patient patterns of care and outcome studies. These results may then inform professional guidelines and training, quality assurance and the planning and evaluation of cancer control activities, potentially improving outcomes for patients.

Collection and usage attributes

Guide for use: Systemic therapy procedures captures those infrequent instances whereby a medical, surgical, or radiation procedure is performed on a patient that has an effect on their hormonal or immunological balance.

- Haematologic procedures, such as bone marrow transplants or stem cell harvests, are typically used in conjunction with the administration of a systemic therapy agent(s), usually chemotherapy.
- Endocrine procedures, either radiological or surgical, may be administered in conjunction with systemic therapy agent(s), usually hormone therapy agents.
- As therapy during a course of treatment for cancer, haematologic procedures will rarely be administered in conjunction with endocrine radiation or surgery.

Collection methods: Each systemic therapy procedure and procedure date delivered to the patient during the course of treatment for cancer should be recorded.

The data element *Healthcare provider—organisation identifier, N(16)* may be recorded for each treatment. It is recommended that, wherever possible, the database be configured to allow entry of different healthcare provider identifiers for each therapeutic course of treatment.

This information should be collected from the patient's medical record.

Source and reference attributes

Origin: Cancer Australia
Reference documents: American College of Surgeons 2002. Facility Oncology Registry Data Standards (FORDS), 2009 revision. Commission on Cancer

Relational attributes

Related metadata references: Supersedes [Systemic therapy procedure for cancer cluster Health](#), Superseded 08/05/2014
See also [Cancer treatment—cancer treatment type, code N\[N\] Health](#), Standard 08/05/2014

Implementation in Data Set Specifications: [Cancer \(clinical\) DSS Health](#), Superseded 14/05/2015
Conditional obligation: Conditional on the patient receiving a systemic therapy procedure.
[Cancer \(clinical\) NBPDS Health](#), Standard 14/05/2015
Conditional obligation:
Conditional on the patient receiving a systemic therapy procedure.

Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	Cancer treatment—systemic therapy procedure date, DDMMYYYY	Mandatory	99
-	Cancer treatment—systemic therapy procedure, code N[N]	Mandatory	99