

# Maternity model of care—routine relocation for intrapartum care and birth indicator

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Maternity model of care—routine relocation for intrapartum care and birth indicator

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	562430
<b>Registration status:</b>	<a href="#">Health</a> , Standard 14/05/2015
<b>Definition:</b>	An indicator of whether a maternity model of care requires women to be routinely relocated from their community to another location prior to labour for intrapartum care and birth.

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Maternity model of care</a>
<b>Definition:</b>	<p>The overarching design of how maternity care is delivered to a woman or women.</p> <p>This is a multidimensional concept that incorporates attributes of the women being cared for, the type of healthcare providers who provide the care and how and where the care is provided.</p>
<b>Context:</b>	Used in maternal and perinatal healthcare settings.
<b>Specialisation of:</b>	<a href="#">Model of care</a>

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Epidemiology and Statistics Unit
<b>Origin:</b>	National Maternity Data Development Project (AIHW and NPESU), Maternity Care Classification System subproject.

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Routine relocation for intrapartum care and birth indicator</a>
<b>Definition:</b>	An indicator of whether the relocation of a woman from her own community to another location for intrapartum care and birth was routine or not.
<b>Property group:</b>	<a href="#">Transport characteristics</a>

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Epidemiology and Statistics Unit
---------------------------------	---

## Data element concept attributes

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Epidemiology and Statistics Unit
<b>Origin:</b>	National Maternity Data Development Project (AIHW and NPESU), Maternity Care Classification System subproject.

## Relational attributes

**Data Elements  
implementing this Data  
Element Concept:**

[Maternity model of care—routine relocation for intrapartum care and birth indicator,  
yes/no code N](#)  
[Health](#), Standard 14/05/2015