

Maternity model of care—routine relocation for intrapartum care and birth indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Maternity model of care—routine relocation for intrapartum care and birth indicator, yes/no code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Routine relocation for intrapartum care and birth indicator
Synonymous names:	Planned transfer for birth indicator
METEOR identifier:	562432
Registration status:	Health , Standard 14/05/2015
Definition:	An indicator of whether a maternity model of care requires women to be routinely relocated from their community to another location prior to labour for intrapartum care and birth, as represented by a code.
Context:	Used in maternal and perinatal healthcare settings.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Maternity model of care—routine relocation for intrapartum care and birth indicator
METEOR identifier:	562430
Registration status:	Health , Standard 14/05/2015
Definition:	An indicator of whether a maternity model of care requires women to be routinely relocated from their community to another location prior to labour for intrapartum care and birth.
Object class:	Maternity model of care
Property:	Routine relocation for intrapartum care and birth indicator

Source and reference attributes

Submitting organisation:	National Perinatal Epidemiology and Statistics Unit
Origin:	National Maternity Data Development Project (AIHW and NPESU), Maternity Care Classification System subproject.

Value domain attributes

Identifying and definitional attributes

Value domain:	Yes/no code N
METEOR identifier:	270732
Registration status:	Australian Institute of Health and Welfare , Recorded 09/08/2023 Australian Teacher Workforce Data Oversight Board , Standard 30/08/2022 Community Services (retired) , Standard 27/04/2007 Disability , Standard 07/10/2014 Early Childhood , Standard 21/05/2010 Health , Standard 01/03/2005 Homelessness , Standard 23/08/2010 Housing assistance , Standard 23/08/2010 Independent Hospital Pricing Authority , Standard 01/11/2012 Indigenous , Standard 16/09/2014 National Health Performance Authority (retired) , Retired 01/07/2016 Tasmanian Health , Standard 27/05/2020 WA Health , Standard 19/03/2015

Definition: A code set representing 'yes' and 'no'.

Representational attributes

Representation class: Code

Data type: Boolean

Format: N

Maximum character length: 1

	Value	Meaning
Permissible values:	1	Yes
	2	No

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element attributes

Collection and usage attributes

Guide for use: This data element refers to planned relocation for all women prior to labour and not just for women who require a higher-level of care for birth or in an emergency.

CODE 1 Yes

This code is to be used if the intention of the model of care is that all women cared for in the model require routine relocation from their communities to another location prior to labour for intrapartum care and birth. While some women may give birth prior to relocation (unplanned), this is not the intention of the model. Do not use this code if the model of care only requires transfer of some women with increased risk factors to attend a hospital of higher role delineation (for example from a Level 4 facility to a Level 6 facility due to complications of pregnancy).

For example, CODE 1 for any model of care where women who reside in a rural or remote community where there is no accessible appropriate birth facility are routinely relocated to a larger town or city some weeks prior to the birth.

CODE 2 No

This code is to be used for all other models of care where the intention of the model is that women can remain in their general area for birth and the model does not require women to leave their communities prior to the onset of labour for intrapartum care and birth.

Collection methods: Data are gathered using the Maternity Care Classification System (MaCCS) data collection questionnaire on an annual basis by every maternity service when classifying their models of care or when a new model of care is introduced.

Source and reference attributes

Submitting organisation: National Perinatal Epidemiology and Statistics Unit

Origin: National Maternity Data Development Project (AIHW and NPESU), Maternity Care Classification System subproject.

Relational attributes

Implementation in Data Set Specifications: [Maternity model of care NBPDS](#)
[Health, Standard 14/05/2015](#)

