

Cancer treatment—brachytherapy dose rate

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Cancer treatment—brachytherapy dose rate

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	572806
Registration status:	Health , Standard 04/02/2015
Definition:	The dose rate of brachytherapy administered during the course of treatment for cancer.

Object Class attributes

Identifying and definitional attributes

Object class:	Cancer treatment
Definition:	<p>The course of cancer-directed treatment or treatments, with defined dates of commencement and cessation, given to the patient by a treatment provider or team of providers.</p> <p>This may include cancer-directed surgical treatment, radiation therapy and systemic agent therapy for cancer. It applies to the primary course of cancer treatment, treatment administered to the patient in response to disease progression or treatment administered to the patient in response to disease recurrence.</p>
Specialisation of:	Service/care event

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Origin:	<p>Commission on Cancer, Standards of the Commission on Cancer Registry Operations and Data Standards (ROADS) Volume II (1998)</p> <p>Commission on Cancer, Facility Oncology Registry Data Standards (2002)</p>

Property attributes

Identifying and definitional attributes

Property:	Brachytherapy dose rate
Definition:	<p>The dose rate of brachytherapy.</p> <p>Brachytherapy is delivered by placing the radiation source in close proximity to the tumour site. The radioactive isotopes are sealed in tiny pellets or “seeds” which are placed in the body using delivery devices such as needles or catheters. Types include interstitial brachytherapy, which uses a source placed within tumour tissue, for example, within a prostate tumour; and intracavitary brachytherapy, whereby the source is placed within a surgical cavity or a body cavity. Brachytherapy can involve the temporary or permanent placement of radioactive sources.</p>

Source and reference attributes

Submitting organisation:	Cancer Australia
---------------------------------	------------------

Data element concept attributes

Source and reference attributes

Submitting organisation: Cancer Australia

Relational attributes

**Data Elements
implementing this Data
Element Concept:**

[Cancer treatment—brachytherapy dose rate, code N](#)
[Health](#), Standard 04/02/2015