

# Birth event—additional indication for induction of labour

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Birth event—additional indication for induction of labour

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	573649
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 02/08/2017
<b>Definition:</b>	A secondary indication for an induction being performed to commence a birth event.

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Birth event</a>
<b>METEOR identifier:</b>	268965
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 12/12/2018 <a href="#">Indigenous</a> , Standard 13/03/2015
<b>Definition:</b>	The sequence of actions by which a baby and the afterbirth (placenta) are expelled or extracted from the uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means.
<b>Specialisation of:</b>	<a href="#">Life event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Additional indication for induction of labour</a>
<b>METEOR identifier:</b>	573645
<b>Registration status:</b>	<a href="#">Health</a> , Standard 13/11/2014
<b>Definition:</b>	<p>An indication for an induction being performed to initiate labour in a pregnant female, that is secondary to the main indication but which contributes to the clinician's decision to induce.</p> <p>Induction of labour is the initiation of labour by artificial means prior to its spontaneous onset. Methods of inducing labour include both pharmacological medication and mechanical or physical approaches.</p> <p>Induction may be recommended for a number of reasons to protect the health of mother and baby.</p>
<b>Property group:</b>	<a href="#">Birth event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Data Development Committee
---------------------------------	---

## Data element concept attributes

## Source and reference attributes

**Submitting organisation:** National Perinatal Data Development Committee

## Relational attributes

**Related metadata references:** Has been superseded by [Birth event—additional indication for induction of labour Health](#), Superseded 12/12/2018

**Data Elements implementing this Data Element Concept:** [Birth event—additional indication for induction of labour, code N\[N\] Health](#), Superseded 02/08/2017

[Birth event—additional indication for induction of labour, code N\[N\] Health](#), Superseded 05/10/2016