

# Indigenous primary health care key performance indicators (2015)

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator Set
<b>Indicator set type:</b>	Other
<b>METEOR identifier:</b>	584983
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Superseded 05/10/2016</li><li>• <a href="#">Indigenous</a>, Superseded 20/01/2017</li></ul>

**Description:** As part of the National Indigenous Reform Agreement (NIRA), the Council of Australian Governments (COAG) agreed that the Australian Government Department of Health, in partnership with the state and territory health departments and in collaboration with the Australian Institute of Health and Welfare, would develop a set of national key performance indicators (KPIs) for Indigenous specific primary health care services.

The Indigenous primary health care national key performance indicators (KPIs) will monitor, inform, and provide a direct line of sight between the activities of federal and state- and territory-funded services that provide primary health care to Aboriginal and Torres Strait Islander people, and the COAG Closing the Gap targets, in particular the targets for life expectancy and child mortality.

The indicators will enable monitoring of the contribution of this part of the health system in achieving Closing the Gap targets. The KPIs are intended to:

- indicate the major health issues pertaining to the regular client population of Indigenous-specific primary health care services (especially those of maternal health, early childhood and the detection and prevention of chronic diseases)
- outline the extent to which government-funded Indigenous-specific primary health care services collect, record and review pertinent data on these issues, and
- reveal changes in health risks or outcomes that may be driven by the quality of care that government-funded services provide to their clients.

Initially the KPIs will provide measures of the extent to which various general indicators of individual health and health-related behaviours among the Indigenous population are being captured by a targeted small number of government-funded Indigenous-specific primary health care services.

It is anticipated that, over the next few years, both the level of detail explored by the KPIs and the number of health care services contributing to the KPIs will increase. Further indicators will also be added to the indicator set as new national data definitions are developed and incorporated into the Indigenous primary health care data set specification (IPHC DSS).

The population of interest in the KPIs is the regular client population of an OATSIH-funded primary health care service that is required to report against the Indigenous primary health care key performance indicators. A regular client is defined as a client who has an active medical record; that is, a client who attended the OATSIH-funded primary health care service at least 3 times in 2 years.

## Relational attributes

**Related metadata references:**

See also [Indigenous primary health care DSS 2015-17](#)

- [Health](#), Superseded 25/01/2018
- [Indigenous](#), Superseded 27/02/2018

Supersedes [Indigenous primary health care key performance indicators \(2014\)](#)

- [Health](#), Superseded 13/03/2015
- [Indigenous](#), Superseded 13/03/2015

Has been superseded by [Indigenous primary health care key performance indicators \(2015-2017\)](#)

- [Health](#), Superseded 25/01/2018
- [Indigenous](#), Superseded 27/02/2018

**Outcome areas linked to this Indicator set:**

[Indigenous Australians achieve health outcomes comparable to the broader population](#)[Indigenous](#), Standard 21/07/2010

**Indicators linked to this Indicator set:**

[Indigenous primary health care: PI01a-Number of Indigenous babies born within the previous 12 months whose birth weight has been recorded, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI01b-Proportion of Indigenous babies born within the previous 12 months whose birth weight has been recorded, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI02a-Number of Indigenous babies born within the previous 12 months whose birth weight results were low, normal or high, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI02b-Proportion of Indigenous babies born within the previous 12 months whose birth weight results were low, normal or high, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI03a-Number of regular clients for whom an MBS Health Assessment for Aboriginal and Torres Strait Islander People \(MBS Item 715\) was claimed, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI03b-Proportion of regular clients for whom an MBS Health Assessment for Aboriginal and Torres Strait Islander People \(MBS Item 715\) was claimed, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI04a-Number of Indigenous children who are fully immunised, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI04b-Proportion of Indigenous children who are fully immunised, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI05a-Number of regular clients with Type II diabetes who have had an HbA1c measurement result recorded, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI05b-Proportion of regular clients with Type II diabetes who have had an HbA1c measurement result recorded, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI06a-Number of regular clients with Type II diabetes whose HbA1c measurement result was within a specified level, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI06b-Proportion of regular clients with Type II diabetes whose HbA1c measurement result was within a specified level, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI07a-Number of regular clients with a chronic disease for whom a GP Management Plan \(MBS Item 721\) was claimed, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI07b-Proportion of regular clients with a chronic disease for whom a GP Management Plan \(MBS Item 721\) was claimed, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI08a-Number of regular clients with a chronic disease for whom a Team Care Arrangement \(MBS Item 723\) was claimed, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI08b-Proportion of regular clients with a chronic disease for whom a Team Care Arrangement \(MBS Item 723\) was claimed, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI09a-Number of regular clients whose smoking status has been recorded, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI09b-Proportion of regular clients whose smoking status has been recorded, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI10a-Number of regular clients with a smoking status result, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI10b-Proportion of regular clients with a smoking status result, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI11a-Number of regular clients who gave birth within the previous 12 months with a smoking status of 'current smoker', 'ex-smoker' or 'never smoked', 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI11b-Proportion of regular clients who gave birth within the previous 12 months with a smoking status of 'current smoker', 'ex-smoker' or 'never smoked', 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI12a-Number of regular clients who are classified as overweight or obese, 2015 Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI12b-Proportion of regular clients who are classified as overweight or obese, 2015 Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI13a-Number of regular clients who had their first antenatal care visit within specified periods, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI13b-Proportion of regular clients who had their first antenatal care visit within specified periods, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI14a-Number of regular clients aged 50 years and over who are immunised against influenza, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI14b-Proportion of regular clients aged 50 years and over who are immunised against influenza, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI15a-Number of regular clients with Type II diabetes or COPD who are immunised against influenza, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI15b-Proportion of regular clients with Type II diabetes or COPD who are immunised against influenza, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI16a-Number of regular clients whose alcohol consumption status has been recorded, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI16b-Proportion of regular clients whose alcohol consumption status has been recorded, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI17a-Number of regular clients who had an AUDIT-C with result within specified levels, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI17b-Proportion of regular clients who had an AUDIT-C with result within specified levels, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI18a-Number of regular clients with a selected chronic disease who have had a kidney function test, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI18b-Proportion of regular clients with a selected chronic disease who have had a kidney function test, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI19b-Proportion of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI20a-Number of regular clients who have had the necessary risk factors assessed to enable CVD assessment, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI20b-Proportion of regular clients who have had the necessary risk factors assessed to enable CVD assessment, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI21a-Number of regular clients aged 35 to 74 years who have had an absolute cardiovascular disease risk assessment with results within specified levels, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI21b-Proportion of regular clients aged 35 to 74 years who have had an absolute cardiovascular disease risk assessment with results within specified levels, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI22a-Number of regular clients who have had a cervical screening, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI22b-Proportion of regular clients who have had a cervical screening, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI23a-Number of regular clients with Type II diabetes who have had a blood pressure measurement result recorded, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI23b-Proportion of regular clients with Type II diabetes who have had a blood pressure measurement result recorded, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

[Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2015](#)

[Health](#), Superseded 05/10/2016  
[Indigenous](#), Superseded 20/01/2017

## Collection and usage attributes

### National reporting arrangement:

Each service funded by OATSIH (the Office of Aboriginal and Torres Strait Islander Health) to provide Indigenous-specific primary health care should record service provision in clinical information management systems that allow the electronic transmission of data for the Indigenous primary health care DSS (IPHC DSS), to be used in the calculation of the key performance indicators (KPIs).

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare  
Department of Health