

Indigenous primary health care: P12b-Proportion of regular clients who are classified as overweight or obese, 2015

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: PI12b-Proportion of regular clients who are classified as overweight or obese, 2015

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	PI12b-Proportion of regular clients who are classified as overweight or obese, 2015
METEOR identifier:	589041
Registration status:	Health , Superseded 05/10/2016 Indigenous , Superseded 20/01/2017
Description:	Proportion of regular clients who are Indigenous, aged 25 years and over and who have had their BMI classified as overweight or obese within the previous 24 months.
Rationale:	Obesity is closely associated with risk factors for the main causes of morbidity and mortality among Aboriginal and Torres Strait Islander people.
Indicator set:	Indigenous primary health care key performance indicators (2015) Health , Superseded 05/10/2016 Indigenous , Superseded 20/01/2017

Collection and usage attributes

Population group age from:	25 years
Computation description:	Proportion of regular clients who are Indigenous, aged 25 years and over and who have had their BMI classified as overweight or obese within the previous 24 months. 'Regular client' refers to a client of an OATSIH-funded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2 years. Body mass index (BMI): A measure of an adult's weight (body mass) relative to height used to assess the extent of weight deficit or excess where height and weight have been measured. Body mass index is the weight in kilograms divided by the square of the height in metres (WHO 2000). Presented as a percentage. Calculated separately for the overweight and obese classifications. If the client has had their BMI recorded more than once in the last 24 months, only the most recently recorded result is included in this calculation. Only include those client's whose BMI was classified using a height measurement taken since the client turned 25 and a weight measurement taken within the previous 24 months.
Computation:	$(\text{Numerator} \div \text{Denominator}) \times 100$

Numerator:

Calculation A: Number of regular clients who are Indigenous, aged 25 years and over and who have had their BMI classified as overweight within the previous 24 months.

Calculation B: Number of regular clients who are Indigenous, aged 25 years and over and who have had their BMI classified as obese within the previous 24 months.

Numerator data elements:**Data Element / Data Set**

[Person—body mass index \(classification\), code N{,N}](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Guide for use

Only include the overweight and obese classifications.

Only include those client's whose BMI was classified using a height measurement taken since the client turned 25 and a weight measurement taken within the previous 24 months.

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—regular client indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Denominator:

Calculation A and B: Total number of regular clients who are Indigenous, aged 25 years and over and who have had their BMI recorded within the previous 24 months.

Denominator data elements:

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—regular client indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—body mass index recorded indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Guide for use

Only include those client's whose BMI was classified using a height measurement taken since the client turned 25 and a weight measurement taken within the previous 24 months.

Disaggregation:

1. Sex:
 - a) Male
 - b) Female
2. Age:
 - a) 25-34 years
 - b) 35-44 years
 - c) 45-54 years
 - d) 55-64 years
 - e) 65 years and over

Disaggregation data elements:**Data Element / Data Set**

[Person—sex, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Indicator conceptual framework

Framework and dimensions: [Person-related Factors](#)

Data source attributes

Data sources:**Data Source**

[Indigenous primary health care data collection](#)

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: Department of Health
WHO (World Health Organization) 2000. Obesity: Preventing and Managing the Global Epidemic, report of a WHO Consultation. World Health Organization, Geneva.

Relational attributes

Related metadata references: Supersedes [Indigenous primary health care: PI12b-Proportion of regular clients who are classified as overweight or obese, 2014](#)
[Health](#), Superseded 13/03/2015
[Indigenous](#), Superseded 13/03/2015

Has been superseded by [Indigenous primary health care: PI12b-Proportion of regular clients who are classified as overweight or obese, 2015-2017](#)
[Health](#), Superseded 25/01/2018
[Indigenous](#), Superseded 27/02/2018

See also [Indigenous primary health care: PI12a-Number of regular clients who are classified as overweight or obese, 2015](#)
[Health](#), Superseded 05/10/2016
[Indigenous](#), Superseded 20/01/2017