

Indigenous primary health care: PI22a-Number of regular clients who have had a cervical screening, 2015

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: PI22a-Number of regular clients who have had a cervical screening, 2015

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Output measure
Short name:	PI22a-Number of regular clients who have had a cervical screening, 2015
METEOR identifier:	589075
Registration status:	Health , Superseded 05/10/2016 Indigenous , Superseded 20/01/2017
Description:	Number of regular clients who are Indigenous, aged 20 to 69 years, who have not had a hysterectomy and who have had a cervical screening within the previous 2 years, 3 years and 5 years.
Rationale:	Cancer mortality rates are higher for Indigenous Australians than for other Australians. National organised programs for cervical screening in Australia have been followed by reductions in mortality rates for these cancers. A cervical screening every two years can prevent the most common form of cervical cancer and is the best protection against cervical cancer.
Indicator set:	Indigenous primary health care key performance indicators (2015) Health , Superseded 05/10/2016 Indigenous , Superseded 20/01/2017

Collection and usage attributes

Population group age from:	20 years
Population group age to:	69 years
Computation description:	<p>Count of regular clients who are Indigenous, aged 20 to 69 years, who have not had a hysterectomy and who have had a cervical screening within the previous 2 years, 3 years and 5 years.</p> <p>'Regular client' refers to a client of an OATSIH-funded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2 years.</p> <p>Presented as a number.</p> <p>Calculated separately for women who have had a cervical screening within the last 2 years, the last 3 years and the last 5 years.</p>
Computation:	Numerator only.
Numerator:	<p>Calculation A: Number of regular clients who are Indigenous, aged 20 to 69 years, who have not had a hysterectomy and who have had a cervical screening within the previous 2 years.</p> <p>Calculation B: Number of regular clients who are Indigenous, aged 20 to 69 years, who have not had a hysterectomy and who have had a cervical screening within the previous 3 years.</p> <p>Calculation C: Number of regular clients who are Indigenous, aged 20 to 69 years, who have not had a hysterectomy and who have had a cervical screening within the previous 5 years.</p>

Numerator data elements:

[Person—sex, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Guide for use

Female only.

Data Element / Data Set

[Person—Indigenous status, code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—age, total years N\[NN\]](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Female—cervical screening indicator, yes/no/not stated/inadequately described code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Person—regular client indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

NMDS / DSS

[Indigenous primary health care DSS 2015-17](#)

Data Element / Data Set

[Female—hysterectomy indicator, yes/no code N](#)

Data Source

[Indigenous primary health care data collection](#)

Representational attributes

Representation class: Count
Data type: Real
Unit of measure: Person

Indicator conceptual framework

Framework and dimensions: [Effective/Appropriate/Efficient](#)

Data source attributes

Data sources:

Data Source

[Indigenous primary health care data collection](#)

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare
 Department of Health

Relational attributes

Related metadata references:

Supersedes [Indigenous primary health care: PI22a-Number of regular clients who have had a cervical screening, 2014](#)

[Health](#), Superseded 13/03/2015

[Indigenous](#), Superseded 13/03/2015

Has been superseded by [Indigenous primary health care: PI22a-Number of regular clients who have had a cervical screening, 2015-2017](#)

[Health](#), Superseded 25/01/2018

[Indigenous](#), Superseded 27/02/2018

See also [Indigenous primary health care: PI22b-Proportion of regular clients who have had a cervical screening, 2015](#)

[Health](#), Superseded 05/10/2016

[Indigenous](#), Superseded 20/01/2017