

# Episode of admitted patient care—rapid response outcome, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Episode of admitted patient care—rapid response outcome, code N[N]

## Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Rapid response outcome
METEOR identifier:	593135
Registration status:	<a href="#">Health</a> , Standard 04/09/2015
Definition:	Patient disposition at the completion of the care provided by a <a href="#">rapid response team</a> called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care, as represented by a code.
Data Element Concept:	<a href="#">Episode of admitted patient care—rapid response outcome</a>
Value Domain:	<a href="#">Rapid response outcome</a>

## Value domain attributes

## Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	Meaning
Permissible values:	1	Patient died
	2	Patient remained in same location
	3	Patient transferred to Intensive Care Unit
	4	Patient transferred to critical care area
	5	Patient transferred to transitional care area
	6	Patient transferred to cardiac monitoring area
	7	Patient transferred to another area for procedural intervention
	8	Patient transferred to another acute care hospital
	88	Other
Supplementary values:	99	Not stated/inadequately described

## Source and reference attributes

Submitting organisation:	Australian Commission for Safety and Quality in Health Care/Australian Institute of Health and Welfare
--------------------------	--

## Data element attributes

## Collection and usage attributes

Guide for use:	CODE 1 Patient died
Code 1 is used when a patient was dead at the time of the completion of the care	

provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care.

#### CODE 2 Patient remained in same location

Code 2 is used when the patient remained in the same location at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care.

#### CODE 3 Patient transferred to Intensive Care Unit

Code 3 is used when a patient was transferred to an [Intensive Care Unit](#) at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care.

#### CODE 4 Patient transferred to critical care area

Code 4 is used when a patient was transferred to a critical care area other than the Intensive Care Unit at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care.

#### CODE 5 Patient transferred to transitional care area

Code 5 is used when, at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care, a patient was transferred to an area providing a level of care in between a critical care area and a general admitted patient care area. Transfers to transitional care areas exclude transfers to beds for patients who only require cardiac monitoring and transfers to beds for acute psychiatric care.

#### CODE 6 Patient transferred to cardiac monitoring area

Code 6 is used when, at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care, a patient was transferred to an area (outside of critical care and transitional care areas) dedicated to real-time monitoring of the patient's cardiac rhythm. Real-time cardiac monitoring refers to the ability of staff caring for the patient to observe the patient's cardiac rhythm at all times.

#### CODE 7 Patient transferred to another area for procedural intervention

Code 7 is used when, at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care, a patient was transferred to another specific area where diagnostic or therapeutic operations or procedures are performed. Examples of areas for procedural intervention include the operating theatre, cardiac catheterisation area, endoscopy area, and interventional radiology area.

#### CODE 8 Patient transferred to another acute care hospital

Code 8 is used when a patient was discharged or transferred to an(other) acute care hospital at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care.

#### CODE 88 Other

Code 88 is used when a patient was alive at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care, but none of the above options apply.

#### CODE 99 Not stated/inadequately described

Code 99 is used when it is not clear or there is inadequate documentation on

whether a patient was alive or dead or where the patient was transferred to, at the time of the completion of the care provided by a rapid response team called to attend to manifest or suspected urgent clinical deterioration during an episode of admitted patient care.

**Comments:**

The time of the completion of the care provided by the rapid response team is the time when the team activation was formally declared as completed by the team leader and/or the time that all of the team members departed.

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care/Australian Institute of Health and Welfare

## Relational attributes

**Implementation in Data Set Specifications:** [Hospital rapid response calls cluster](#)  
Health, Standard 04/09/2015

**Conditional obligation:** Conditional on a rapid response call being made during the episode of admitted patient care