Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015



#### © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015

# Identifying and definitional attributes

Metadata item type: Indicator

Indicator type: Output measure

**Short name:** PI19a-Number of regular clients with a selected chronic disease who have had a

kidney function test with results within specified levels, 2015

METEOR identifier: 594135

**Registration status:** Health, Superseded 05/10/2016

Indigenous, Superseded 20/01/2017

**Description:** Number of regular clients who are Indigenous, aged 15 years and over, who are

recorded as having Type II diabetes or cardiovascular disease (CVD) and who have had an estimated glomerular filtration rate (eGFR) recorded within the

previous 12 months with a result of (ml/min/1.73m²):

greater than or equal to 90;

• greater than or equal to 60 but less than 90;

- greater than or equal to 45 but less than 60;
- greater than or equal to 30 but less than 45;
- greater than or equal to 15 but less than 30 or;
- less than 15

OR the number of regular clients who are male, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 2.5
- greater than or equal to 2.5 but less than or equal to 25
- greater than 25

OR the number of regular clients who are female, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 3.5
- greater than or equal to 3.5 but less than or equal to 35
- greater than 35.

Rationale: Indigenous Australians have very high levels of kidney disease due to a range of

risk factors and antecedents. Kidney disease contributes substantially to the high burden of ill health experienced by Indigenous Australians. Tests of a person's urine and blood can identify most cases of chronic kidney disease when the disease is in its early stages, enabling treatment to prevent or slow down the progression. Glomerular filtration and albumin/creatinine ratio rate are accepted as the best

measures of kidney disease.

Indicator set: Indigenous primary health care key performance indicators (2015)

Health, Superseded 05/10/2016 Indigenous, Superseded 20/01/2017

# Collection and usage attributes

# Population group age from:

15 years

# Computation description:

Count of regular clients who are Indigenous, aged 15 years and over, who are recorded as having Type II diabetes or CVD and who have had an eGFR recorded within the previous 12 months with a result of (ml/min/1.73m²):

- greater than or equal to 90;
- greater than or equal to 60 but less than 90;
- greater than or equal to 45 but less than 60;
- greater than or equal to 30 but less than 45;
- greater than or equal to 15 but less than 30 or;
- less than 15

OR the count of regular clients who are male, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 2.5
- greater than or equal to 2.5 but less than or equal to 25
- greater than 25

OR the count of regular clients who are female, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 3.5
- greater than or equal to 3.5 but less than or equal to 35
- greater than 35

'Regular client' refers to a client of an OATSIH-funded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the OATSIH-funded primary health care service at least 3 times in 2 years.

Presented as a number.

## Computation:

Numerator only

#### **Numerator:**

Calculation A: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 90.

Calculation B: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 60 but less than 90.

Calculation C: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 45 but less than 60.

Calculation D: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 30 but less than 45.

Calculation E: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 15 but less than 30.

Calculation F: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of less than 15.

Calculation G: Number of regular clients who are Indigenous, aged 15 years and

over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 90.

Calculation H: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 60 but less than 90.

Calculation I: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 45 but less than 60.

Calculation J: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 30 but less than 45.

Calculation K: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 15 but less than 30.

Calculation L: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of less than 15.

Calculation M: Number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of less than 2.5.

Calculation N: Number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than or equal to 2.5 but less than or equal to 25.

Calculation O: Number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than 25.

Calculation P: Number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of less than 3.5.

Calculation Q: Number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than or equal to 3.5 but less than or equal to 35.

Calculation R: Number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than 35.

#### Numerator data elements:

#### Data Element / Data Set-

Person-diabetes mellitus status, code NN

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Guide for use

Type II diabetes only.

# Data Element / Data Set

Person-sex, code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

#### Data Element / Data Set

Person-Indigenous status, code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

#### Data Element / Data Set

Person—age, total years N[NN]

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

#### Data Element / Data Set

Person—regular client indicator, yes/no code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

#### Data Element / Data Set

Person—cardiovascular disease recorded indicator, yes/no code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

#### Data Element / Data Set

Person—estimated glomerular filtration rate (eGFR) result, code N[A]

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Guide for use

For the purposes of this indicator, categories 1 (eGFR greater than or equal to 90) and 2 (eGFR greater than or equal to 60 but less than 90) of this data element are to be combined into a single category, i.e. eGFR greater than or

equal to 60.

#### Data Element / Data Set-

Person—albumin/creatinine ratio (ACR) result, code N

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

Disaggregation:

- 1. Sex:
- a) Male
- b) Female
- 2. Age:
- a) 15-24 years
- b) 25-34 years
- c) 35-44 years
- d) 45-54 years
- e) 55-64 years
- f) 65 years and over

# Disaggregation data elements:

#### Data Element / Data Set-

Person-sex, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

#### Data Element / Data Set-

Person—age, total years N[NN]

**Data Source** 

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care DSS 2015-17

# Representational attributes

Representation class: Count

Data type: Real

Unit of measure: Person

# Indicator conceptual framework

Framework and

Effective/Appropriate/Efficient

dimensions:

# **Data source attributes**

Data sources:

**Data Source** 

Indigenous primary health care data collection

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

Department of Health

## Relational attributes

Related metadata references:

Supersedes <u>Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had an eGFR recorded with results within specified levels, 2014</u>

<u>Health</u>, Superseded 13/03/2015 <u>Indigenous</u>, Superseded 13/03/2015

Has been superseded by Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015-2017

<u>Health</u>, Superseded 25/01/2018 <u>Indigenous</u>, Superseded 27/02/2018

See also Indigenous primary health care: PI19b-Proportion of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015

Health, Superseded 05/10/2016 Indigenous, Superseded 20/01/2017