National Healthcare Agreement: Pl 11-Proportion of



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: Pl 11-Proportion of adults with very high levels of psychological distress, 2016

Identifying and definitional attributes

Metadata item type: Indicator

Indicator type: Progress measure

Short name: PI 11-Proportion of adults with very high levels of psychological distress, 2016

METEOR identifier: 598760

Registration status: Health, Superseded 31/01/2017

Description: Proportion of adults with very high levels of psychological distress.

Indicator set: National Healthcare Agreement (2016)

Health, Superseded 31/01/2017

Outcome area: Prevention

Health, Standard 07/07/2010

Collection and usage attributes

Computation description: Derived from the Kessler Psychological Distress Scale, with higher scores

indicating a higher level of distress; lower scores indicate a low level of distress.

A ten item scale is currently employed by Australian Bureau of Statistics (ABS) in general population collections (i.e. K10), while a modified five item scale is included in the Aboriginal and Torres Strait Islander population collections (K5).

Total scores from the K10 scale will be grouped as follows:

- 10-15 Low;
- 16-21 Moderate;
- 22-29 High; and
- 30-50 Very high.

Total scores from the K5 scale will be grouped as follows:

- 5–11 Low/moderate; and
- 12-25 High/very high.

Presented as a percentage. Rates are directly age-standardised to the 2001 Australian population. 95% confidence intervals and relative standard errors

calculated for rates.

Computation: 100 × (Numerator ÷ Denominator)

Numerator: Number of people aged 18 years or over with a very high distress score as

measured by the Kessler Psychological Distress Scale.

Numerator data elements:

Data Element / Data Set-

Person-age

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set

Person—Kessler Psychological Distress Scale score

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set

Person-age

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012–13 (National Aboriginal and Torres Strait Islander Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—Kessler Psychological Distress Scale score

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012–13 (National Aboriginal and Torres Strait Islander Health Measures Survey component)

Guide for use

Data source type: Survey

Denominator:

Population aged 18 years or over.

Denominator data elements:

Data Element / Data Set-

Person-age

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set

Person-age

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012–13 (National Aboriginal and Torres Strait Islander Health Survey component)

Guide for use

Data source type: Survey

Disaggregation:

State and territory by sex.

Nationally by:

- remoteness (Australian Statistical Geography Standard (ASGS) Remoteness Structure)
- 2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD) quintiles and deciles
- sex by 2011 SEIFA IRSD quintiles
- remoteness (major city, other) by 2011 SEIFA IRSD deciles.
- disability status

Grouped high/very high levels of psychological distress—State and territory by:

- Indigenous status
- remoteness (ASGS Remoteness Structure)
- 2011 SEIFA IRSD quintiles
- disability status

Grouped high/very high levels of psychological distress—Nationally by:

- sex by remoteness (ASGS Remoteness Structure)
- remoteness (ASGS Remoteness Structure) by 2011 SEIFA IRSD deciles

Some disaggregations may result in numbers too small for publication.

Disaggregation data elements:

Data Element / Data Set-

Person—disability status

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—Indigenous status

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person-sex, code N

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2011) N(9)

Data Source

ABS Australian Health Survey (AHS), 2011–13 (2011–12 National Health Survey component)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA

Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2011) N(9)

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012–13 (National Aboriginal and Torres Strait Islander Health Survey component)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory

Comments: Most recent data available for the 2016 National Healthcare Agreement

performance reporting: 2011-12 (total population, non-Indigenous: AHS); 2012-13

(Indigenous only: AATSIHS).

NO NEW DATA FOR 2016 REPORTING.

The modified K5 scale from the 2012–13 AATSIHS was used with the corresponding 5 questions from the 2011–12 AHS to compare the psychological distress levels of Aboriginal and Torres Strait Islander and non-Indigenous peoples.

Representational attributes

Representation class: Percentage

Data type: Real Unit of measure: Person

Data source attributes

Data sources: **Data Source**

> ABS Australian Health Survey (AHS), 2011-13 (2011-12 National Health Survey component)

Data custodian

Australian Bureau of Statistics

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012–13 (National Aboriginal and Torres Strait Islander Health Survey component)

Data custodian

Australian Bureau of Statistics

Data Source

ABS Australian Aboriginal and Torres Strait Islander Health Survey (AATSIHS), 2012-13 (National Aboriginal and Torres Strait Islander Health Measures Survey component)

Data custodian

Australian Bureau of Statistics

Accountability attributes

National Healthcare Agreement Reporting requirements: Organisation responsible

for providing data:

Australian Bureau of Statistics

Further data development / Specification: Final, the measure meets the intention of the indicator.

collection required:

Source and reference attributes

Submitting organisation: Australian Bureau of Statistics

Relational attributes

Related metadata references:

Supersedes <u>National Healthcare Agreement: PI 11-Proportion of adults with very high levels of psychological distress, 2015</u>

Health, Superseded 08/07/2016

Has been superseded by <u>National Healthcare Agreement: PI 11–Proportion of adults with very high levels of psychological distress, 2017</u>

Health, Superseded 30/01/2018