

Perinatal NBEDS 2016-17

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Perinatal NBEDS 2016-17

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Perinatal NMDS 2014-18	517456			
-	Anaesthesia administered indicator	495466	Boolean [1]	1 2	Yes No
-	Analgesia administered indicator	495381	Boolean [1]	1 2	Yes No
-	Method of birth	295349	Number [1]	1 2 4 5 9	Vaginal—non-instrumental Vaginal—forceps Caesarean section Vaginal— vacuum extraction Not stated/inadequately described
-	Birth plurality	482409	Number [1]	1 2 3 4 5 6 8 9	Singleton Twins Triplets Quadruplets Quintuplets Sextuplets Other Not stated
-	Presentation at birth	299992	Number [1]	1 2 3 4 8 9	Vertex Breech Face Brow Other Not stated/inadequately described
-	Labour onset type	495690	Number [1]	1 2 3 9	Spontaneous Induced No labour Not stated
-	Actual place of birth	269937	Number [1]	1 2 3 4 8 9	Hospital, excluding birth centre Birth centre, attached to hospital Birth centre, free standing Home Other Not stated

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	State/Territory of birth	270151	Number [1]	1 2 3 4 5 6 7 8 9	New South Wales Victoria Queensland South Australia Western Australia Tasmania Northern Territory Australian Capital Territory Other territories (Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory)
-	Type of anaesthesia administered during a birth event	422383	Number [2]	2 3 4 5 6 7 88 99	Local anaesthetic to perineum Pudendal block Epidural or caudal block Spinal block General anaesthesia Combined spinal-epidural block Other anaesthesia Not stated/inadequately described
-	Type of analgesia administered during a birth event	471867	Number [2]	2 4 5 6 7 88 99	Nitrous oxide Epidural or caudal block Spinal block Systemic opioids Combined spinal-epidural block Other analgesia Not stated/inadequately described
-	Apgar score at 5 minutes	289360	String [2]	00-10 99	Apgar score Not stated/inadequately described
-	Birth order	269992	Number [1]	1 2 3 4 5 6 8 9	Singleton or first of a multiple birth Second of a multiple birth Third of a multiple birth Fourth of a multiple birth Fifth of a multiple birth Sixth of a multiple birth Other Not stated
-	Status of the baby	269949	Number [1]	1 2 9	Live birth Stillbirth (fetal death) Not stated

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Infant weight, neonate, stillborn	269938	Number [4]	NNNN Total number of grams.	
-	Separation date	270025	Date/Time [8]	DDMMYYYY The day of a particular month and year.	
-	Establishment identifier	269973	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.	
-	Postpartum perineal status	423659	Number [2]	1 Intact 2 1st degree laceration/vaginal graze 3 2nd degree laceration 4 3rd degree laceration 5 Episiotomy 7 4th degree laceration 88 Other perineal laceration, rupture or tear 99 Not stated/inadequately described	
-	Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy	365445	Number [3]	998 Occasional smoking (less than one) 999 Not stated/inadequately described	
-	Tobacco smoking indicator, after 20 weeks of pregnancy	365417	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described	
-	Tobacco smoking indicator, first 20 weeks of pregnancy	365404	Boolean [1]	1 Yes 2 No 9 Not stated/inadequately described	
-	Caesarean section at most recent previous birth indicator	422187	Number [1]	1 Yes 2 No 7 Not applicable 9 Not stated/inadequately described	
-	Antenatal care visits	423828	Number [2]	99 Not stated/inadequately described	
-	Parity	501710	Number [2]	99 Not stated	
-	Area of usual residence (SA2)	659725	String [9]	N(9) A code set representing a medium-sized general purpose area aggregated from whole Statistical areas level 1 (SA1s).	

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Country of birth	659454	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set representing a country.
-	Date of birth	287007	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	Indigenous status	602543	Number [1]	1 Aboriginal but not Torres Strait Islander origin 2 Torres Strait Islander but not Aboriginal origin 3 Both Aboriginal and Torres Strait Islander origin 4 Neither Aboriginal nor Torres Strait Islander origin 9 Not stated/inadequately described
-	Person identifier	290046	String [20]	XXXXXX[X(14)] A logical combination of valid alphanumeric characters that identify an entity.
-	Sex	287316	Number [1]	1 Male 2 Female 3 Intersex or indeterminate 9 Not stated/inadequately described
-	Pregnancy duration at the first antenatal care visit	379597	Number [2]	99 Not stated/unknown
-	Gestational age	298105	Number [2]	99 Not stated/unknown

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Additional indication for caesarean section	587048	Number [2]	1	Fetal compromise
				2	Suspected fetal macrosomia
				3	Malpresentation
				10	Lack of progress; less than or equal to 3 cm cervical dilatation
				11	Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation
				12	Lack of progress in the second stage
				13	Placenta praevia
				14	Placental abruption
				15	Vasa praevia
				16	Antepartum/intrapartum haemorrhage
				17	Multiple pregnancy
				18	Unsuccessful attempt at assisted delivery
				19	Cord prolapse
				20	Previous adverse perinatal outcome
				21	Previous caesarean section
				22	Previous severe perineal trauma
				23	Previous shoulder dystocia
				29	Other obstetric, medical, surgical, psychological indications
				30	Maternal choice in the absence of any obstetric, medical, surgical, psychological indications
				99	Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Additional indication for induction of labour	573654	Number [2]	1	Prolonged pregnancy
				2	Prelabour rupture of membranes
				3	Diabetes
				4	Hypertensive disorders
				5	Multiple pregnancy
				6	Chorioamnionitis (includes suspected)
				7	Cholestasis of pregnancy
				8	Antepartum haemorrhage
				9	Maternal age
				10	Body Mass Index (BMI)
				11	Maternal mental health indication
				12	Previous adverse perinatal outcome
				19	Other maternal obstetric or medical indication
				20	Fetal compromise (includes suspected)
				21	Fetal growth restriction (includes suspected)
				22	Fetal macrosomia (includes suspected)
				23	Fetal death
				24	Fetal congenital anomaly
				80	Administrative or geographical indication
				81	Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication
				89	Other indication not elsewhere classified
				99	Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Main indication for caesarean section	587046	Number [2]	1	Fetal compromise
				2	Suspected fetal macrosomia
				3	Malpresentation
				10	Lack of progress; less than or equal to 3 cm cervical dilatation
				11	Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation
				12	Lack of progress in the second stage
				13	Placenta praevia
				14	Placental abruption
				15	Vasa praevia
				16	Antepartum/intrapartum haemorrhage
				17	Multiple pregnancy
				18	Unsuccessful attempt at assisted delivery
				19	Cord prolapse
				20	Previous adverse perinatal outcome
				21	Previous caesarean section
				22	Previous severe perineal trauma
				23	Previous shoulder dystocia
				29	Other obstetric, medical, surgical, psychological indications
				30	Maternal choice in the absence of any obstetric, medical, surgical, psychological indications
				99	Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Main indication for induction of labour	569595	Number [2]	1 2 3 4 5 6 7 8 9 10 11 12 19 20 21 22 23 24 80 81 89 99	Prolonged pregnancy Prelabour rupture of membranes Diabetes Hypertensive disorders Multiple pregnancy Chorioamnionitis (includes suspected) Cholestasis of pregnancy Antepartum haemorrhage Maternal age Body Mass Index (BMI) Maternal mental health indication Previous adverse perinatal outcome Other maternal obstetric or medical indication Fetal compromise (includes suspected) Fetal growth restriction (includes suspected) Fetal macrosomia (includes suspected) Fetal death Fetal congenital anomaly Administrative or geographical indication Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication Other indication not elsewhere classified Not stated/inadequately described
-	Baby head circumference	568380	Number [4]	999.9	Not measured
-	Blood transfusion for primary PPH	522211	Boolean [1]	1 2 9	Yes No Not stated/inadequately described
-	Diabetes during pregnancy	504291	Boolean [1]	1 2 9	Yes No Not stated/inadequately described
-	PPH blood loss	522192	Number [1]	1 2 3 9	500–999 ml 1000–1499 ml 1500 ml or more Not stated/inadequately described
-	Hypertension during pregnancy	516807	Boolean [1]	1 2 9	Yes No Not stated/inadequately described
-	Primary postpartum haemorrhage indicator	504959	Boolean [1]	1 2 9	Yes No Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	Diabetes mellitus type during pregnancy	516668	Number [1]	1 2 3 8 9	Pre-existing Type 1 diabetes Pre-existing Type 2 diabetes Gestational diabetes mellitus (GDM) Other type of diabetes mellitus Not stated/inadequately described
-	Diabetes therapy type during pregnancy	516185	Number [1]	1 2 3 9	Insulin Oral hypoglycaemic Diet and exercise Not stated/inadequately described
-	Hypertension type during pregnancy	504548	Number [1]	1 2 3 4 9	Eclampsia Preeclampsia Gestational hypertension Chronic hypertension Not stated/inadequately described
-	Height (measured)	270361	Number [4]	999.9	Not measured
-	Height (self-reported)	270365	Number [3]	888 999	Unknown Not stated/inadequately described
-	Weight in kilograms (measured)	270208	Number [4]	999.9	Not collected
-	Weight (self-reported)	302365	Number [3]	888 999	Unknown Not stated