
Medicare diagnostic imaging multiple services rule code A



Metadata 609630

meteor@aihw.gov.au.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at

Medicare diagnostic imaging multiple services rule code A

Identifying and definitional attributes

Metadata item type: Value Domain

METEOR identifier: 609630

Registration status: Commonwealth Department of Health, Retired 19/10/2023

Definition: A code set representing the rule applied to diagnostic imaging service.

Representational attributes

Representation class: Code

Data type: String

Format: A

Maximum character length: 1

Permissi

	Value	Meaning
ible values:	Α	Diagnostic imaging multiple service rule (DIMSR) A
	В	DIMSR B HI
	С	DIMSR B LO
	D	DIMSR C
	Е	DIMSR B HI and DIMSR C
	F	DIMSR B LO and DIMSR C
	G	DIMSR B HI applied to consultation item
	Н	DIMSR applied to primary Multiple vascular ultrasound site rule (MVUSSR) item
	M	DIMSR B HI adjusted to the consultation item
	1	DIMSR B LO applied to consultation item
	J	DIMSR applied to General Medical Services Table (GMST)
	K	DIMSR manually applied
	X	Exemption DIMSR

Collection and usage attributes

L

Guide for use: CODE B Diagnostic imaging multiple service rule (DIMSR) B HI

Consultation greater than \$40.

CODE C Diagnostic imaging multiple service rule (DIMSR) B LO

Consultation less than \$40.

Relational attributes

Data elements implementing this value domain:

Service event—Medicare diagnostic imaging multiple services rule, code A

DIMSR manually applied DIMSR + MVUSSR

Commonwealth Department of Health, Retired 19/10/2023