

Address group cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Address group cluster

Identifying and definitional attributes

Metadata item type:	Data Set Specification
METEOR identifier:	611145
Registration status:	Health , Standard 05/10/2016
DSS type:	Data Element Cluster
Scope:	The Address group cluster includes data elements that record an address, which is defined as a collection of information used for describing the location of an entity, and/or details describing how the entity can be contacted, for individuals or organisations.

Collection and usage attributes

Guide for use:	<p>Each address should be associated with a specific individual or organisation. It is also important to be able to identify whether an address is current. One method is the use of specific start and end dates relating to an address. A currency flag or sequence number which identifies the addresses in active use can also be used. Some systems include both options to better support validation. The use of start and end dates are included as they are the clearest mechanism for supporting identification and communication.</p> <p>The data elements support recording of no fixed address and less specific contact details.</p>
-----------------------	---

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Reference documents:	Standards Australia 2014. AS 4846:2014 Person and provider identification in healthcare. Sydney: Standards Australia.

Relational attributes

Related metadata references:	See also Healthcare provider organisation cluster Health , Standard 05/10/2016
Implementation in Data Set Specifications:	Person and provider identification in healthcare National Best Practice Data Set Health , Standard 05/10/2016

Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
1	Address—physical address indicator, yes/no code N	Mandatory	1

Seq No.	Metadata item	Obligation	Max occurs
2	Address—purpose of address, code AA[A]	Mandatory	1
	<p>DSS specific information:</p> <p>The address purpose may be collected for both the individual and the organisation in the Person and provider identification in healthcare national best practice data set. It should be collected for every address. Note that an address may have multiple address purposes at a given point in time.</p> <p>If the address is either a primary address, secondary address, residential address or temporary accommodation, the corresponding values for the Address—address status identifier, code AAA data element should be either official address, valid alias address or unknown address at the time of collection.</p> <p>Note that the Address—purpose of address, code AA[A] data element allows a null entry for address purpose. A null entry is not accepted in the Person and provider identification in healthcare national best practice data set.</p>		
3	Address status cluster	Mandatory	1
1	Address—address currency status, date and time of interchange code A	Mandatory	1
	<p>DSS specific information:</p> <p>This data element should be collected in conjunction with the Address—address start date, DDMMYYYY and Address—address end date, DDMMYYYY data elements to verify the status of a person's or organisation's address.</p>		
2	Address—address start date, DDMMYYYY	Mandatory	1
	<p>DSS specific information:</p> <p>This data element should be collected in conjunction with the Date—accuracy indicator, code AAA data element as an indicator of the accuracy of the components of a reported date.</p>		
3	Address—address end date, DDMMYYYY	Conditional	1
	<p>Conditional obligation:</p> <p>Conditional on the address no longer being the active address.</p> <p>DSS specific information:</p> <p>This data element should be collected in conjunction with the Date—accuracy indicator, code AAA data element as an indicator of the accuracy of the components of a reported date.</p>		
4	Date—accuracy indicator, code AAA	Mandatory	2
	<p>DSS specific information:</p> <p>This data element should be collected in conjunction with the Address—address start date, DDMMYYYY and Address—address end date, DDMMYYYY data elements to indicate the accuracy of the components of the start and end dates.</p>		

Seq No.	Metadata item	Obligation	Max occurs
5	Address—address start time, hhmmss <i>DSS specific information:</i> Although the address status start time may be collected, it is often not required for persons or organisations in healthcare.	Optional	1
6	Address—address end time, hhmmss <i>DSS specific information:</i> Although the address status end time may be collected, it is often not required for persons or organisations in healthcare.	Optional	1
7	Address—address status identifier, code AAA <i>DSS specific information:</i> This data element is used to help gain information about the way in which an address is able to be recognised by official systems, including postal delivery or attendance at the geographical address. This data element may be collected if address validity information is required. If collected, it should have an associated Address—address start date, DDMMYYYY and an optional Address—address end date, DDMMYYYY . Note that only one address validity value can exist for a given address.	Optional	1
4	Address components cluster	Mandatory	1
1	Address—building/complex sub-unit type, code AA[AA] <i>DSS specific information:</i> The code list is not exhaustive, but can be used as a guide to collect information about the type of building or complex sub-unit type, if required.	Optional	1
2	Address—sub-dwelling unit number, identifier X[X(6)]	Optional	1
3	Address—floor/level type, code A[AAA] <i>DSS specific information:</i> The code list is not exhaustive, but can be used as a guide to collect information about the type of floor level, if required.	Optional	1
4	Address—level number, identifier X[XXXX]	Optional	1
5	Address—secondary complex name, text X[X(49)]	Optional	1
6	Address—complex road number 1, road number XXXXXX	Optional	1
7	Address—complex road number 2, road number XXXXXX	Optional	1
8	Address—complex road name, text X[X(44)]	Optional	1
9	Address—complex road type, code AA[AA]	Optional	1
10	Address—complex road suffix, street suffix code A[A]	Optional	1
11	Address—address site name, text X[X(49)]	Optional	1
12	Address—location descriptor, text X[X(49)]	Optional	1
13	Address—road number 1, road number XXXXXX	Optional	1

Seq No.	Metadata item	Obligation	Max occurs
14	Address—road number 2, road number XXXXXX	Optional	1
	DSS specific information:		
	This data element is used for ranged street numbers in conjunction with Address—road number 1, road number XXXXXX , plus a '-' (dash) for presentation. For example: 20-24A Botany Blvd (Address road number 2 is 24A)		
15	Address—lot number, identifier X[XXXXX]	Optional	1
16	Address—road name, text X[X(44)]	Optional	1
17	Address—road type, code AA[AA]	Optional	1
18	Address—road suffix, street suffix code A[A]	Optional	1
19	Address—postal delivery service type identifier, code AA[A(9)]	Optional	1
20	Address—postal delivery number, identifier X[X(10)]	Optional	1
21	Address—postal delivery point identifier, identifier {N(8)}	Optional	1
22	Address—suburb/town/locality name, text X[X(45)]	Optional	1
23	Address—Australian state/territory identifier, code AA[A]	Optional	1
24	Address—Australian postcode, code (Postcode datafile) NNNN	Optional	1
25	Address—country identifier, country code (SACC 2016) NNNN	Optional	1
26	Address—address line, text X[X(179)]	Optional	1
5	Address geocode cluster	Optional	1
1	Address—geocode feature, text X[X(29)]	Optional	1
2	Address—geocode containment indicator, yes/no code N	Optional	1
	DSS specific information:		
	The address geocode containment indicator can also be represented as follows:		
	C - The geocode is contained within the address site		
	N - The geocode is not contained within the address site		
3	Address—geocode geographic datum, text X[X(9)]	Optional	1
4	Address—geocode positional uncertainty, total metres N[NNN].NNN	Optional	1
5	Address—geocode vertical datum, text X[X(9)]	Optional	1
6	Address—geocode latitude, decimal degrees XN[N][.N(9)]	Optional	1
7	Address—geocode longitude, decimal degrees XN[NN][.N(9)]	Optional	1
8	Address—geocode height, total metres N[NNNN].NNN	Optional	1
6	Address communication suppression cluster	Optional	1
1	Address—information suppression indicator, yes/no code N	Mandatory	1
2	Address—data exchange agreement for suppressed data indicator, yes/no code N	Conditional	1
	Conditional obligation:		
	Only collected when the response to Address—information suppression indicator, yes/no code N is 'yes'.		

Seq No.	Metadata item	Obligation	Max occurs
3	Address—information suppression start date, DDMMYYYY Conditional obligation: Only collected when the response to Address—information suppression indicator, yes/no code N is 'yes'.	Conditional	1
4	Address—information suppression end date, DDMMYYYY Conditional obligation: Only collected when the Address—information suppression start date, DDMMYYYY is populated.	Conditional	1
5	Date—accuracy indicator, code AAA DSS specific information: This data element should be used in conjunction with a date field.	Mandatory	2