

Acute coronary syndromes: 6e-Discharge summary provided to general practitioner or ongoing clinical provider within 48 hours of separation from hospital

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Acute coronary syndromes: 6e-Discharge summary provided to general practitioner or ongoing clinical provider within 48 hours of separation from hospital

Identifying and definitional attributes

| | |
|-----------------------------|---|
| Metadata item type: | Indicator |
| Indicator type: | Indicator |
| Short name: | Indicator 6e-Discharge summary provided to general practitioner or ongoing clinical provider within 48 hours of separation from hospital |
| METEOR identifier: | 612091 |
| Registration status: | Health , Standard 12/09/2016 |
| Description: | Proportion of patients with a final diagnosis of acute coronary syndrome (ACS) whose discharge summary is provided to their general practitioner (GP) or ongoing clinical provider within 48 hours of separation from hospital. |
| Rationale: | The provision of a discharge summary to a GP or ongoing clinical provider demonstrates appropriate clinical handover (ACSQHC 2013). |
| Indicator set: | Clinical care standard indicators: acute coronary syndromes Health , Standard 12/09/2016 |
| Outcome area: | Individualised care plan Health , Standard 12/09/2016 |

Collection and usage attributes

| | |
|---------------------------------|---|
| Computation description: | Both the numerator and the denominator include patients with acute chest pain, or other symptoms suggestive of ACS. Presented as a percentage. |
| Computation: | $(\text{Numerator} \div \text{denominator}) \times 100$ |
| Numerator: | Number of patients with a final diagnosis of ACS whose discharge summary has been provided to their GP or relevant health service provider within 48 hours of separation from hospital. |
| Denominator: | Number of patients with a final diagnosis of ACS separated from hospital. |

Representational attributes

| | |
|------------------------------|------------|
| Representation class: | Percentage |
| Data type: | Real |
| Unit of measure: | Episode |
| Format: | N[NN] |

Source and reference attributes

| | |
|---------------------------------|---|
| Submitting organisation: | Australian Commission on Safety and Quality in Health Care |
| Reference documents: | ACSQHC (Australian Commission on Safety and Quality in Health Care) 2013. Accreditation evidence of implementation of the National Safety and Quality Health Service (NSQHS) Standards. Sydney: ACSQHC. |