# Orthogeriatric model of care



## © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## Orthogeriatric model of care

## Identifying and definitional attributes

Metadata item type: Outcome Area

METEOR identifier: 628052

Registration status: Health, Standard 12/09/2016

**Description:** A patient with a hip fracture is offered treatment based on an orthogeriatric model

of care as defined in the Australian and New Zealand guideline for hip fracture care

(ANZHFR Steering Group 2014).

## Relational attributes

Indicator sets linked to this outcome area:

Indicator sets linked to this Clinical care standard indicators: hip fracture

Australian Commission on Safety and Quality in Health Care, Superseded

18/06/2018

Health, Standard 12/09/2016

Clinical care standard indicators: hip fracture 2018

Australian Commission on Safety and Quality in Health Care, Standard

15/05/2018

Indicators linked to this outcome area:

Hip fracture care clinical care standard indicators: 3a-Evidence of orthogeriatric (or alternative physician or medical practitioner) management during an admitted

patient's hip fracture episode of care

Health, Standard 12/09/2016

Hip fracture care clinical care standard indicators: 3a-Evidence of orthogeriatric (or

alternative physician or medical practitioner) management during an admitted

patient's hip fracture episode of care Health, Standard 12/09/2016

#### Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Reference documents: ANZHFR (Australian and New Zealand Hip Fracture Registry) Steering Group

2014. Australian and New Zealand guideline for hip fracture care: improving

outcomes in hip fracture management of adults. Sydney: ANZHFR.