National Healthcare Agreement: PI 24—Survival of people diagnosed with notifiable cancers, 2017

people diagnosed with notifiable cancers, 2017
Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: Pl 24—Survival of people diagnosed with notifiable cancers, 2017

Identifying and definitional attributes

Metadata item type: Indicator

Indicator type: Progress measure

Short name: PI 24–Survival of people diagnosed with cancers, 2017

METEOR identifier: 630051

Registration status: Health, Superseded 30/01/2018

Description: Five-year relative survival proportions for people diagnosed with cancer.

Indicator set: National Healthcare Agreement (2017)

Health, Superseded 30/01/2018

Outcome area: Hospital and Related Care

Health, Standard 07/07/2010

National Health Performance Authority (retired), Retired 01/07/2016

Data quality statement: National Healthcare Agreement: PI 24-Survival of people diagnosed with notifiable

cancers, 2017 QS

Health, Standard 31/01/2017

Collection and usage attributes

Computation description: The probability of surviving five years in people with cancer is divided by the

probability of surviving five years in the general population (matched on age, sex

and calendar year).

Analysis will be undertaken using the 'period' method of calculation. See <u>Cancer</u> <u>survival and prevalence in Australia: period estimates from 1982 to 2010.</u>

Analyses by state and territory, remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD) are based on

usual residence of person at diagnosis.

Presented as a percentage.

Computation: 100 x (Numerator ÷ Denominator)

Numerator: Probability of surviving for five years in the people diagnosed with cancer.

Numerator data elements:

- Data Element / Data Set

Data Element

Age at diagnosis

Data Source

Australian Cancer Database

Guide for use

Data source type: Registry data Used in 'age at diagnosis' calculation

Data Element / Data Set-

Patient—diagnosis date (cancer), DDMMYYYY

Data Source

Australian Cancer Database

Guide for use

Data source type: Registry data Used in 'age at diagnosis' calculation

Data Element / Data Set

Person—date of death, DDMMYYYY

Data Source

Australian Cancer Database

Guide for use

Data source type: Registry data

Data Element / Data Set

Person—date of death, DDMMYYYY

Data Source

National Death Index (NDI)

Guide for use

Data source type: Administrative by-product data

NDI is used for linkage with the Australian Cancer Database to update

additional death information

Data Element / Data Set-

Person—sex, code N

Data Source

Australian Cancer Database

Guide for use

Data source type: Registry data

Denominator:

Probability of surviving for five years in the general population

Denominator data elements:

Data Element / Data Set

Data Element

Person—estimated resident population of Australia

Data Source

ABS Estimated resident population (total population)

Guide for use

Data source type: Census-based plus administrative by-product data ABS Estimated Resident Population (generated life tables)

Data Element / Data Set-

Data Element

Mortality identifier

Data Source

AlHW National Mortality Database

Guide for use

Data source type: Registry data Used to identify number of deaths

Data Element / Data Set

Person-sex, code N

Data Source

ABS Estimated resident population (total population)

Guide for use

Data source type: Census-based plus administrative by-product data ABS Estimated Resident Population (generated life tables)

Data Element / Data Set

Person—sex, code N

Data Source

AlHW National Mortality Database

Guide for use

Data source type: Registry data

Data Element / Data Set

Person—age, total years N[NN]

Data Source

ABS Estimated resident population (total population)

Guide for use

Data source type: Census-based plus administrative by-product data ABS Estimated Resident Population (generated life tables)

Data Element / Data Set

Person—age, total years N[NN]

Data Source

AlHW National Mortality Database 2008–12, 2009–13—Nationally, by: **Guide for use** Disaggregation:

sex Data source type: Registry data

Nationally, by:

- remoteness (Australian Standard Geographical Classification (ASGC) Remoteness Structure)
- 2006 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD) quintiles

Disaggregation data elements:

Data Element / Data Set-

Person (address)—Australian postcode, code (Postcode datafile) {NNNN}

Data Source

Australian Cancer Database

Guide for use

Data source type: Registry data

Used for disaggregation by remoteness and SEIFA IRSD

Data Element / Data Set-

Person-sex, code N

Data Source

Australian Cancer Database

Guide for use

Data source type: Registry data

Comments: Most recent data available for 2017 National Healthcare Agreement performance

reporting: 2009-13 (for sex disaggregation); 2006-10 (for remoteness and SEIFA

disaggregations).

Representational attributes

Representation class: Percentage

Data type: Real Unit of measure: Person Format: NN.N

Indicator conceptual framework

Framework and dimensions:

Effectiveness

Data source attributes

Data sources:

Data Source

ABS Estimated resident population (total population)

Frequency

Quarterly

Data quality statement

ABS Estimated resident population (total population), QS

Data custodian

Australian Bureau of Statistics

Data Source

Australian Cancer Database

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

AlHW National Mortality Database

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

National Death Index (NDI)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data:

Australian Institute of Health and Welfare

Further data development / Specification: Final, the measure meets the intention of the indicator.

collection required:

Relational attributes

Related metadata references:

Supersedes <u>National Healthcare Agreement: PI 24–Survival of people diagnosed</u> <u>with notifiable cancers, 2016</u>

Health, Superseded 31/01/2017

Has been superseded by <u>National Healthcare Agreement: PI 24–Survival of people diagnosed with notifiable cancers, 2018</u>

Health, Superseded 19/06/2019

See also National Healthcare Agreement: PI 02-Incidence of selected cancers, 2017

Health, Superseded 30/01/2018