

© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Perineal status code N[N]

Identifying and definitional attributes

Metadata item type: Value Domain

METEOR identifier: 630087

Registration status: <u>Health</u>, Superseded 12/12/2018

Definition: A code set representing the state of the perineum.

Representational attributes

Representation class: Code

Data type: Number

Format: N[N]

Maximum character length: 2

g		
	Value	Meaning
Permissible values:	1	Intact
	2	1st degree laceration/vaginal graze
	3	2nd degree laceration
	4	3rd degree laceration
	5	Episiotomy
	7	4th degree laceration
	88	Other perineal laceration, rupture or tear
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 2 1st degree laceration/vaginal graze

Graze, laceration, rupture or tear of the perineal skin during delivery that may be considered to be slight or that involves one or more of the following structures:

- fourchette
- labia
- periurethral tissue (excluding involvement of urethra)
- · vagina, low
- vulva.

CODE 3 2nd degree laceration

Perineal laceration, rupture or tear as in Code 2 occurring during delivery, also involving:

- · pelvic floor
- · perineal muscles
- · vaginal muscles.

Excludes laceration involving the anal sphincter.

CODE 4 3rd degree laceration

Perineal laceration, rupture or tear as in Code 3 occurring during delivery, also involving:

- anal sphincter (excluding involvement of anal or rectal mucosa)
- rectovaginal septum
- sphincter not otherwise specified (NOS).

Excludes laceration involving the anal or rectal mucosa.

CODE 7 4th degree laceration

Perineal laceration, rupture or tear as in Code 4 occurring during delivery, also involving:

- · anal mucosa
- · rectal mucosa.

CODE 88 Other perineal laceration, rupture or tear

May include haematoma or unspecified perineal tear.

Comments:

If a laceration occurred during delivery and an episiotomy was performed, both the degree of laceration and the episiotomy should be recorded. If an episiotomy is performed, the perineum cannot be intact.

Code 6 has been omitted as it is no longer in use. For information about its meaning in previous data elements, see superseded versions.

While 4th degree laceration is more severe than an episiotomy, this category has not been placed in order of clinical significance within the value domain.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: Australian Consortium for Classification Development (ACCD) 2017. The

International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM), Tenth edn. Tabular list of diseases and Alphabetic index of diseases. Sydney: ACCD, University of Sydney.

Relational attributes

Related metadata references:

Supersedes Perineal status code N[N] Health, Superseded 02/08/2017

Has been superseded by Perineal status code N[N]

Health, Superseded 20/11/2019

Data elements implementing this value domain:

Female (mother)—postpartum perineal status, code N[N]

Health, Superseded 12/12/2018