Australian Atlas of Healthcare Variation: Caesarean section for selected women giving birth for the first



ര	Australian	Institute	of Health and	1 Welfare	2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Australian Atlas of Healthcare Variation: Caesarean section for selected women giving birth for the first time, 2012-2014

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Caesarean section for selected women giving birth for the first time, 2012-2014

METEOR identifier: 639073

Registration status: Australian Commission on Safety and Quality in Health Care, Standard 07/06/2017

Description: Number of women who met the selection criteria* who gave birth by caesarean

section, age standardised. Data are disaggregated by the area in which the mother

lives.

Rationale: This indicator is used to benchmark practice.

Indicator set: Australian Atlas of Healthcare Variation 2017

Australian Commission on Safety and Quality in Health Care, Standard

07/06/2017

Collection and usage attributes

Population group age

from:

Females 20-34 years of age

Computation description:

Number of selected women giving birth for the first time who gave birth by caesarean section.

- * Selection criteria: Women included are those who gave birth for the first time and met all of the following criteria:
 - aged between 20 and 34 years
 - gestational age at birth between 37 and 41 completed weeks
 - pregnancy has one baby only (singleton)
 - the presentation of the baby is vertex (baby's head was at the cervix)

Excluded are those women who have given birth prior to the current birth or who did not meet the selection criteria.

Inclusion codes and description

Data Element	Code	Description
Birth Method	4	Caesarean section
Birth plurality	1	Singleton
Birth Presentation	1	Vertex

Presented as a number per 1,000 selected women.

Rates are directly age standardised to the 2001 Australian female population aged 20–34, using 5-year age groups: 20-24, 25-29 and 30-34.

For more information about age-standardisation in general see /content/index.phtml/itemld/327276

Analysis by Statistical Area Level 3 (SA3) is based on usual residence of the mother.

Computation: 1,000 × (Numerator ÷ Denominator)

Numerator: Number of selected women giving birth for the first time who gave birth by

caesarean section.

Numerator data elements:

Data Element / Data Set-

Person—date of birth, DDMMYYYY

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Data Element / Data Set

Birth event—birth method, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Data Element / Data Set-

Product of conception—gestational age, completed weeks N[N]

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Data Element / Data Set-

Birth event—birth presentation, code N

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Data Element / Data Set-

Birth event—birth plurality, code N

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Data Element / Data Set-

Female—parity, total pregnancies N[N]

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Denominator: All selected women 2012-2014

Denominator data elements:

Data Element / Data Set-

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Disaggregation:

SA3 by:

 Remoteness (ASGC Remoteness structure) and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD)

State and territory by:

- · Indigenous status
- · Patient elected accommodation status

Cells of less than 5 have been suppressed. This is the lowest level of suppression that all states and territories have agreed to for the release of data from the National Perinatal Data Collection.

Crude rates have been suppressed where the denominator is less than 100, for reliability purposes. The corresponding age-standardised rate has also been suppressed in these cases.

In addition, age-standardised rates have been suppressed where the denominator for any age-stratified groups have fewer than 10 individuals.

Disaggregation data elements:

Data Element / Data Set

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Perinatal NMDS 2012-13

Perinatal NMDS 2013-14

Representational attributes

Representation class: Rate

Data type: Integer

Unit of measure: Episode

Format: N[NNNN]

Data source attributes

Data sources:

Data Source

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Methodology: Data elements are from the Perinatal national minimum data set (NMDS) or have

been provided as voluntary non-standardised items by the states and territories. Records with data that are missing, not stated or not interpretable have been

excluded from the denominator.

A birth is defined as the event in which a baby comes out of the uterus after a pregnancy of at least 20 weeks gestation or weighing 400 grams or more. Caesarean section is an operative procedure to remove the baby through an

incision through a woman's abdomen and uterus.

Gestational age is a clinical measure of the duration of the pregnancy. For the National Perinatal Data Collection gestational age is reported as completed

weeks.

Patient elected accommodation status is available from all jurisdictions from 2006.

Source of definition: Australian Council of Healthcare Standards (ACHS) Indicator 1.4: Selected women giving birth for the first time undergoing caesarean section. This ACHS indicator is based on the definition by Women's Healthcare Australasia

(WHA) Core Maternity Indicators Project (CMIP).

Reporting requirements: Australian Commission on Safety and Quality in Health Care

Australian Atlas of Healthcare Variation

Organisation responsible for providing data:

Australian Institute of Health and Welfare

Accountability: Australian Commission on Safety and Quality in Health Care

Release date: 07/06/2017

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care