

Female—type of hypertensive disorder during pregnancy

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—type of hypertensive disorder during pregnancy

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	655609
Registration status:	Health , Superseded 03/12/2020
Definition:	The type of hypertensive disorder during pregnancy which a female has been diagnosed with.

Object Class attributes

Identifying and definitional attributes

Object class:	Female
METEOR identifier:	269000
Registration status:	Community Services (retired) , Standard 06/02/2012 Health , Standard 01/03/2005 Indigenous , Standard 13/03/2015 Tasmanian Health , Standard 20/12/2016
Definition:	A human being of the sex which conceives and brings forth young.
Specialisation of:	Person/group of persons

Source and reference attributes

Submitting organisation:	Australia Institute of Health and Welfare
Origin:	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd.

Property attributes

Identifying and definitional attributes

Property:	Type of hypertensive disorder during pregnancy
METEOR identifier:	655605
Registration status:	Health , Superseded 03/12/2020
Definition:	The type of hypertensive disorder during pregnancy which is characterised by high blood pressure but could also be accompanied by other symptoms such as proteinuria, oedema, high body temperature or seizures.
Property group:	Illness and/or Injury event

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
Origin:	National Perinatal Data Development Committee Australian Institute of Health and Welfare
Reference documents:	Lowe SA, Bowyer L, Lust K, McMahon LP, Morton MR, North RA et al. 2014. Guideline for the management of hypertensive disorders of pregnancy. Society of Obstetric Medicine of Australia and New Zealand.

Data element concept attributes

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Related metadata references:

Supersedes [Female—type of hypertensive disorder during pregnancy Health](#), Superseded 05/10/2016

Has been superseded by [Female—type of hypertensive disorder during pregnancy Health](#), Standard 03/12/2020

Data Elements implementing this Data Element Concept:

[Female—type of hypertensive disorder during pregnancy, code N Health](#), Superseded 12/12/2018

[Female—type of hypertensive disorder during pregnancy, code N Health](#), Superseded 02/08/2017

[Female—type of hypertensive disorder during pregnancy, code N Health](#), Superseded 20/11/2019

[Female—type of hypertensive disorder during pregnancy, code N Health](#), Superseded 03/12/2020