

National Healthcare Agreement: PI 17–Treatment rates for mental illness, 2018

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 17–Treatment rates for mental illness, 2018

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI 17–Treatment rates for mental illness, 2018
METEOR identifier:	658501
Registration status:	Health , Superseded 19/06/2019
Description:	Proportion of population receiving clinical mental health services.
Indicator set:	National Healthcare Agreement (2018) Health , Superseded 16/06/2019
Outcome area:	Primary and Community Health Health , Standard 07/07/2010

Collection and usage attributes

Computation description: The number of people receiving clinical mental health care expressed as a rate, which is directly age-standardised to the 2001 Australian population.

Age group is calculated from age at first service event during the reference period, or as at 1 July of the reference period where a service event (hospital admission or residential episode) commenced prior to 1 July.

Remoteness is derived from Statistical Area Level 2 (SA2) (or postcode where SA2 is not available) of the client at first service event, consistent with derived age, and is proportionally allocated using a population-based concordance.

Socio-Economic Indexes for Areas (SEIFA) is derived from SA2 (or postcode where SA2 is not available) of the client at first service event and is proportionally allocated using a population-based concordance.

For remoteness and SEIFA, if a null result is returned from the first event, the next valid result is to be used. That is, if a valid SA2 (or postcode where SA2 is not available) is not obtained from the client's first service event, then this information will be obtained from the next possible service event.

Indigenous status is the Indigenous status of the client recorded at the first service event.

The client's first service event is the first time that a client receives a service during the reporting period, or as at 1 July of the reference period where a service event (hospital admission or residential episode) commenced prior to 1 July of the reference period.

Public:

Number of individuals recorded on jurisdictional mental health information systems as receiving 1 or more services from state/territory public mental health services, including specialised mental health hospital services, residential mental health care services and community mental health care services.

Person counts should be confined to individuals who received 1 or more services from state or territory specialised mental health services. Jurisdictional systems should be used, where available, to remove duplicate person counts between the different specialised mental health service settings.

For community mental health care service contacts, all types of service contacts are to be included in defining whether a person receives a service, including those delivered 'on behalf' of the consumer, that is, where the consumer does not directly

participate.

'Assessment only' cases are included.

Community mental health care data for non-uniquely identifiable clients are to be excluded.

State and territory disaggregation of mental health care data is based on the jurisdiction that provided the health care service.

Private:

Number of individuals receiving specialist psychiatric care in private hospitals with psychiatric beds. Services provided to patients with psychiatric diagnoses by other private hospitals (that is, those without designated psychiatric beds) are not included.

State and territory disaggregation of Private Mental Health Alliance data is based on location of service.

Medicare Benefits Schedule (MBS):

Inclusive of all mental-health related MBS items and includes some ambulatory-equivalent admitted patient mental health service contacts.

Consultant psychiatrist services include MBS items: 134, 136, 138, 140, 142, 288, 289, 291, 293, 296, 297, 299, 300, 302, 304, 306, 308, 310, 312, 314, 316, 318, 319, 320, 322, 324, 326, 328, 330, 332, 334, 336, 338, 342, 344, 346, 348, 350, 352, 353, 355, 356, 357, 358, 359, 361, 364, 366, 367, 369, 370, 855, 857, 858, 861, 864, 866, 14224.

GP and other services include MBS items: 170, 171, 172, 2574, 2575, 2577, 2578, 2700, 2701, 2702, 2704, 2705, 2707, 2708, 2710, 2712, 2713, 2715, 2717, 2719, 2721, 2723, 2725, 2727, 20104.

Clinical psychologist services include MBS items: 80000, 80005, 80010, 80015, 80020.

Other allied health services include MBS items: 10956, 10968, 80100, 80105, 80110, 80115, 80120, 80125, 80130, 80135, 80140, 80145, 80150, 80155, 80160, 80165, 80170, 81325, 81355, 82000, 82015.

Medicare Benefits Scheme data presented by Indigenous status are adjusted for under-identification in the Medicare Australia Voluntary Indigenous Identifier (VII) database. Indigenous status is the Indigenous status of the client recorded as at June of the latest reference period.

State and territory, remoteness and SEIFA disaggregation of MBS data is based on postcode of residence of the person as recorded in Medicare Australia's database at the date the last service was received in the reference period.

For MBS data age group is calculated from age at last service event.

Department of Veterans' Affairs (DVA):

Inclusive of all mental-health related MBS items and additional DVA items and includes some ambulatory-equivalent admitted patient mental health service contacts.

Consultant psychiatrist services include MBS items: 134, 136, 138, 140, 142, 288, 289, 291, 293, 296, 297, 299, 300, 302, 304, 306, 308, 310, 312, 314, 316, 318, 319, 320, 322, 324, 326, 328, 330, 332, 334, 336, 338, 342, 344, 346, 348, 350, 352, 353, 355, 356, 357, 358, 359, 361, 364, 366, 367, 369, 370, 855, 857, 858, 861, 864, 866, 14224.

GP and other services include MBS items: 170, 171, 172, 2700, 2701, 2702, 2710, 2712, 2713, 2715, 2717, 2719, 2721, 2723, 2725, 2727, 20104.

Clinical psychologist services include MBS items: 80000, 80005, 80010, 80015, 80020 and DVA items US01, US02, US03, US04, US05, US06, US07, US08, US50, US51, US99.

Other allied health services include MBS items: 10956, 10968, 80100, 80105, 80110, 80115, 80120, 80125, 80130, 80135, 80140, 80145, 80150, 80155, 80160, 80165, 80170, 81325, 81355, 82000, 82015 and DVA items CL20, CL25, CL30, US11, US12, US13, US14, US15, US16, US17, US18, US21, US22, US23, US24, US25, US26, US27, US31, US32, US33, US34, US35, US36, US37, US52, US53, US96, US97, US98.

State and territory disaggregation of DVA data is based on postcode of residence of the person as recorded by Medicare Australia at the date the last service was received in the reference period.

Presented as a percentage.

Computation:

100 x (Numerator ÷ Denominator)

Calculated separately for public, private, and combined Medicare Benefits Scheme and DVA data.

Numerator:

Number of people receiving clinical mental health services

Numerator data elements:

Data Element / Data Set

Person—person identifier

Data Source

[Department of Veterans' Affairs \(DVA\)](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—person identifier

Data Source

[Private Mental Health Alliance Centralised Data Management Service](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—person identifier

Data Source

[State/territory community mental health care data](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—person identifier

Data Source

[State/territory admitted patient data](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—person identifier

Data Source

[State/territory residential mental health care data](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

[Person—government funding identifier, Medicare card number N\(11\)](#)

Data Source

[Medicare \(MBS\) data](#)

Guide for use

Data source type: Administrative by-product data

Denominator:

Total population

Denominator data elements:

Data Element / Data Set

Person—estimated resident population of Australia

Data Source

[ABS Estimated resident population \(2011 Census-based\)](#)

Guide for use

Data source type: Census-based plus administrative by-product data

Data Element / Data Set

Person—estimated resident population of Australia

Data Source

[ABS Indigenous estimates and projections \(2011 Census-based\)](#)

Guide for use

Data source type: Census-based plus administrative by-product data

Disaggregation:

2015–16—Nationally, by service type, by (not reported):

- 2011 SEIFA Index of Relative Socio-economic Disadvantage (IRSD) deciles.

2015–16—State and territory, by service type, by:

- remoteness (Australian Statistical Geography Standard (ASGS) Remoteness Structure)
- Indigenous status (public and Medicare Benefits Scheme data only)
- profession type of service provider (Medicare Benefits Scheme and DVA data only).

Disaggregation data elements:

Data Element / Data Set

Person—age

Data Source

[Department of Veterans' Affairs \(DVA\)](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—area of usual residence

Data Source

[State/territory community mental health care data](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by remoteness and SEIFA IRSD

Data Element / Data Set

Establishment—Australian state/territory identifier

Data Source

[State/territory admitted patient data](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by state/territory

Data Element / Data Set

Person—age

Data Source

[State/territory admitted patient data](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—area of usual residence

Data Source

[State/territory admitted patient data](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by remoteness and SEIFA IRSD

Data Element / Data Set

Establishment—Australian state/territory identifier

Data Source

[State/territory residential mental health care data](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by state/territory

Data Element / Data Set

Person—age

Data Source

[State/territory residential mental health care data](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—area of usual residence

Data Source

[State/territory residential mental health care data](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by remoteness and SEIFA IRSD

Data Element / Data Set

Person—area of usual residence

Data Source

[Department of Veterans' Affairs \(DVA\)](#)

Guide for use

Data source type: Administrative by-product data

Used for disaggregation by state/territory, remoteness and SEIFA

Data Element / Data Set

Person (address)—Australian postcode

Data Source

[Medicare \(MBS\) data](#)

Guide for use

Data source type: Administrative by-product data

Used for disaggregation by state/territory, remoteness and SEIFA IRSD

Data Element / Data Set

Person—age

Data Source

[Medicare \(MBS\) data](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Establishment—Australian state/territory identifier

Data Source

[Private Mental Health Alliance Centralised Data Management Service](#)

Guide for use

Data source type: Administrative by-product data

Used for disaggregation by state/territory

Data Element / Data Set

Person—age

Data Source

[Private Mental Health Alliance Centralised Data Management Service](#)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set

Person—area of usual residence

Data Source

[Private Mental Health Alliance Centralised Data Management Service](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by remoteness and SEIFA IRSD

Data Element / Data Set

Establishment—Australian state/territory identifier

Data Source

[State/territory community mental health care data](#)

Guide for use

Data source type: Administrative by-product data
Used for disaggregation by state/territory

Data Element / Data Set

Person—age

Data Source

[State/territory community mental health care data](#)

Guide for use

Data source type: Administrative by-product data

Comments:

Most recent data available for 2018 National Healthcare Agreement performance reporting: 2015–16.

MBS and DVA item numbers change over time. Extracted data may include historical item numbers that are no longer current but have been processed by Medicare Australia within the reference period.

There is likely to be considerable overlap between the MBS/DVA data and the private hospital data, as most patients accessing private hospital services would access MBS items in association with the private hospital service.

Indigenous information is not currently available for private psychiatric hospital or DVA data.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person

Format: N[NN].N

Indicator conceptual framework

Data source attributes

Data sources:

Data Source

[ABS Estimated resident population \(2011 Census-based\)](#)

Frequency

Quarterly

Data custodian

Australian Bureau of Statistics

Data Source

[Department of Veterans' Affairs \(DVA\)](#)

Frequency

Annual

Data custodian

Department of Veterans' Affairs (DVA)

Data Source

[State/territory admitted patient data](#)

Frequency

Annual

Data custodian

State/territory health authorities

Data Source

[State/territory residential mental health care data](#)

Frequency

Annual

Data custodian

State/territory health authorities

Data Source

[ABS Indigenous estimates and projections \(2011 Census-based\)](#)

Frequency

Periodic

Data custodian

Australian Bureau of Statistics

Data Source

[Medicare \(MBS\) data](#)

Frequency

Annually

Data custodian

Department of Health

Data Source

[Private Mental Health Alliance Centralised Data Management Service](#)

Frequency

Annual

Data custodian

Private Mental Health Alliance

Data Source

[State/territory community mental health care data](#)

Frequency

Annual

Data custodian

State/territory health authorities

Accountability attributes

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data: Australian Institute of Health and Welfare

Further data development / collection required: Specification: Substantial work required, the measure requires significant work to be undertaken.

Relational attributes

Related metadata references: Supersedes [National Healthcare Agreement: PI 17–Treatment rates for mental illness, 2017](#)

[Health](#), Superseded 30/01/2018

Has been superseded by [National Healthcare Agreement: PI 17–Treatment rates for mental illness, 2019](#)

[Health](#), Superseded 13/03/2020