

Heavy menstrual bleeding clinical care standard indicators: 5a-Local arrangements for referral of patients with heavy menstrual bleeding for insertion of a levonorgestrel-releasing intra-uterine system

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Heavy menstrual bleeding clinical care standard indicators: 5a-Local arrangements for referral of patients with heavy menstrual bleeding for insertion of a levonorgestrel-releasing intra-uterine system

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Indicator 5a-Local arrangements for referral of patients with heavy menstrual bleeding for insertion of a levonorgestrel-releasing intra-uterine system
METEOR identifier:	667313
Registration status:	Health , Standard 17/10/2018
Description:	Evidence of local arrangements for referral of patients with heavy menstrual bleeding for insertion of a levonorgestrel-releasing intra-uterine system, if this is not available within the practice.
Indicator set:	Clinical care standard indicators: heavy menstrual bleeding Health , Standard 17/10/2018

Collection and usage attributes

Computation description:	This indicator does not apply to practices where a trained clinician is available for insertion of a levonorgestrel-releasing intra-uterine system. Local arrangements should ensure that a practice without a trained clinician knows which trained clinicians within the geographic region can insert a levonorgestrel-releasing intra-uterine system, and refers patients to these clinicians where clinically appropriate.
Computation:	A healthcare setting where care is provided to patients with heavy menstrual bleeding which has documented evidence of local arrangements should record 'Yes'. Otherwise, the healthcare setting should record 'No'.

Representational attributes

Representation class:	Count
Data type:	Real
Unit of measure:	Service event
Format:	Yes/No

Accountability attributes

Other issues caveats:	Applicable settings: primary care settings (including general practice, family planning and sexual health services).
------------------------------	--

Source and reference attributes

Submitting organisation:	Australian Commission on Safety and Quality in Health Care
---------------------------------	--

Relational attributes

Related metadata references:	See also Heavy menstrual bleeding clinical care standard indicators: 5b-Proportion of patients with heavy menstrual bleeding who are deemed clinically suitable for a levonorgestrel-releasing intra-uterine system and have one inserted or are referred for insertion Health , Standard 17/10/2018
-------------------------------------	---

