Birth event—intended setting of birth, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event-intended setting of birth, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Intended place of birth
METEOR identifier:	668857
Registration status:	Health, Superseded 03/12/2020
Definition:	The intended place of birth at the onset of labour, as represented by a code.
Context:	Perinatal
Data Element Concept:	Birth event—intended setting of birth
Value Domain:	Birth setting code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Hospital, excluding birth centre
	2	Birth centre, attached to hospital
	3	Birth centre, free standing
	4	Home
	8	Other
Supplementary values:	9	Not stated/inadequately described

Data element attributes

Collection and usage attributes

Guide for use:	CODE 4 Home
	Reserved for planned home births.
	CODE 8 Other
	Record for home births without a midwife or other medical professional in attendance (free births) or a community health centre.
Comments:	Women who plan to give birth in birth centres or at home usually have different risk factors for outcome compared to those who plan to give birth in hospitals. Women who are transferred to hospital after the onset of labour have increased risks of intervention and adverse outcomes.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references:	Supersedes <u>Birth event—setting of birth (intended), code N</u> <u>Health</u> , Superseded 12/12/2018
	Has been superseded by <u>Birth event—intended setting of birth, code N</u> <u>Health</u> , Standard 03/12/2020 <u>Tasmanian Health</u> , Standard 09/11/2023
	See also <u>Birth event—actual setting of birth, code N</u> <u>Health</u> , Superseded 03/12/2020