Indigenous primary health care: PI19b-Proportion of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015-2017

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Pl19b-Proportion of regular clients with a selected chronic disease who have had a

kidney function test with results within specified levels, 2015-2017

METEOR identifier: 686368

Registration status: • Health, Superseded 17/10/2018

• Indigenous, Superseded 17/10/2018

Description:

Proportion of regular clients who are Indigenous, aged 15 years and over, who are recorded as having Type II diabetes or cardiovascular disease (CVD) and who have had an estimated glomerular filtration rate (eGFR) recorded within the previous 12 months with a result of (ml/min/1.73m²):

- greater than or equal to 90;
- greater than or equal to 60 but less than 90;
- greater than or equal to 45 but less than 60;
- greater than or equal to 30 but less than 45;
- greater than or equal to 15 but less than 30 or;
- less than 15

OR the proportion of regular clients who are male, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 2.5
- greater than or equal to 2.5 but less than or equal to 25
- greater than 25

OR the proportion of regular clients who are female, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 3.5
- greater than or equal to 3.5 but less than or equal to 35
- greater than 35

Rationale:

Indigenous Australians have very high levels of kidney disease due to a range of risk factors and antecedents. Kidney disease contributes substantially to the high burden of ill health experienced by Indigenous Australians. Tests of a person's urine and blood can identify most cases of chronic kidney disease when the disease is in its early stages, enabling treatment to prevent or slow down the progression. Glomerular filtration and albumin/creatinine ratio rate are accepted as the best measures of kidney disease.

Indicator set:

Indigenous primary health care key performance indicators (2015-2017)

Health, Superseded 17/10/2018 Indigenous, Superseded 17/10/2018

Collection and usage attributes

Population group age from:

15 years

Computation description:

Proportion of regular clients who are Indigenous, aged 15 years and over, who are recorded as having Type II diabetes or CVD and who have had an eGFR recorded within the previous 12 months with a result of (ml/min/1.73m²):

- greater than or equal to 90;
- greater than or equal to 60 but less than 90;
- greater than or equal to 45 but less than 60;
- greater than or equal to 30 but less than 45;
- greater than or equal to 15 but less than 30 or;
- less than 15

OR the proportion of regular clients who are male, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 2.5
- greater than or equal to 2.5 but less than or equal to 25
- greater than 25

OR the proportion of regular clients who are female, Indigenous, aged 15 years and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 3.5
- greater than or equal to 3.5 but less than or equal to 35
- greater than 35

'Regular client' refers to a client of an Australian Government Department of Healthfunded primary health care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the Department of Health-funded primary health care service at least 3 times in 2 years.

Presented as a percentage.

Computation:

(Numerator ÷ Denominator) x 100

Numerator:

Calculation A: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 90.

Calculation B: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 60 but less than 90.

Calculation C: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 45 but less than 60.

Calculation D: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 30 but less than 45.

Calculation E: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 15 but less than 30.

Calculation F: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of less than 15.

Calculation G: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 90.

Calculation H: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 60 but less than 90.

Calculation I: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 45 but less than 60.

Calculation J: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 30 but less than 45.

Calculation K: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 15 but less than 30.

Calculation L: Number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of less than 15.

Calculation M: Number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of less than 2.5.

Calculation N: Number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than or equal to 2.5 but less than or equal to 25.

Calculation O: Number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than 25.

Calculation P: Number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of less than 3.5.

Calculation Q: Number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than or equal to 3.5 but less than or equal to 35.

Calculation R: Number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than 35.

Numerator data elements:

Data Element / Data Set

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

Type II diabetes only.

Data Element / Data Set

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set

Person—cardiovascular disease recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set

Person—estimated glomerular filtration rate (eGFR) result, code N[A]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

For the purposes of this indicator, categories 1 (eGFR greater than or equal to 90) and 2 (eGFR greater than or equal to 60 but less than 90) of this data element are to be combined into a single category, i.e. eGFR greater than or equal to 60.

Data Element / Data Set-

Person—albumin/creatinine ratio (ACR) result, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary health care NBEDS 2017-18 is 1 December 2017.

Data Element / Data Set-

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary health care NBEDS 2017-18 is 1 December 2017.

Data Element / Data Set

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary health care NBEDS 2017-18 is 1 December 2017.

Denominator:

Calculation A, B, C, D, E and F: Total number of regular clients who are Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who had an eGFR result recorded within the previous 12 months.

Calculation G, H, I, J, K and L: Total number of regular clients who are Indigenous, aged 15 years and over, are recorded as having CVD and who had an eGFR result recorded within the previous 12 months.

Calculation M, N and O: Total number of regular clients who are male, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months.

Calculation P, Q and R: Total number of regular clients who are female, Indigenous, aged 15 years and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months.

Denominator data elements:

Data Element / Data Set-

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

Type II diabetes only.

Data Element / Data Set

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017–18

Data Element / Data Set

Person—estimated glomerular filtration rate (eGFR) recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set-

Person—cardiovascular disease recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set-

Person—albumin/creatinine ratio (ACR) result, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary health care NBEDS 2017-18 is 1 December 2017.

Data Element / Data Set

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary health care NBEDS 2017-18 is 1 December 2017.

Data Element / Data Set

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary

1. beguth care NBEDS 2017-18 is 1 December 2017.

- a) Male
- b) Female
- 2. Age:
- a) 15-24 years
- b) 25-34 years
- c) 35-44 years
- d) 45-54 years
- e) 55-64 years
- f) 65 years and over

Disaggregation data elements:

Disaggregation:

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Data Element / Data Set

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2017-18

Guide for use

The implementation start date for this data element in the Indigenous primary health care NBEDS 2017-18 is 1 December 2017.

Representational attributes

Representation class: Percentage

Data type: Real
Unit of measure: Person

Indicator conceptual framework

N[N].N

Format:

Framework and dimensions:

Effective/Appropriate/Efficient

Data source attributes

Data sources: Data Source

Indigenous primary health care data collection

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Australian Government Department of Health

Relational attributes

Related metadata references:

Supersedes <u>Indigenous primary health care: PI19b-Proportion of regular clients</u> with a selected chronic disease who have had a kidney function test with results within specified levels, 2015-2017

- Health, Superseded 25/01/2018
- Indigenous, Superseded 27/02/2018

Has been superseded by <u>Indigenous primary health care: PI19b-Proportion of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2018-2019</u>

- Health, Superseded 16/01/2020
- Indigenous, Superseded 14/07/2021

See also Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, 2015-2017

- Health, Superseded 17/10/2018
- Indigenous, Superseded 17/10/2018