

Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Alcohol consumption in the first 20 weeks of pregnancy indicator
METEOR identifier:	690482
Registration status:	<ul style="list-style-type: none">• Health, Standard 12/12/2018
Definition:	An indicator of whether a female consumed alcohol in the first 20 weeks of pregnancy, as represented by a code.
Context:	Perinatal
Data Element Concept:	Female—alcohol consumption in the first 20 weeks of pregnancy indicator

Value domain attributes

Representational attributes

Representation class:	Code						
Data type:	Number						
Format:	N						
Maximum character length:	1						
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></tbody></table>	Value	Meaning	1	Yes	2	No
Value	Meaning						
1	Yes						
2	No						
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described		
Value	Meaning						
9	Not stated/inadequately described						

Collection and usage attributes

Guide for use:	CODE 9 Not stated/inadequately described This code is not for use in primary data collections.
-----------------------	---

Data element attributes

Collection and usage attributes

Guide for use:

CODE 1 Yes

Record if a female consumed alcohol in the first 20 weeks of pregnancy.

CODE 2 No

Record if a female did not consume alcohol in the first 20 weeks of pregnancy.

Collection methods:

This data element is self-reported.

Recommended question: 'Did you consume alcohol at all in the first 20 weeks of pregnancy?', where the first 20 weeks of pregnancy is defined as less than or equal to 19 weeks + 6 days.

To ensure consistency of results, this data element should be collected after the first 20 weeks of pregnancy.

Source and reference attributes

Submitting organisation:

National Perinatal Data Development Committee

Relational attributes

Related metadata references:

See also [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#)

- [Health](#), Standard 12/12/2018

See also [Female—alcohol consumption frequency in the first 20 weeks of pregnancy, code N](#)

- [Health](#), Standard 12/12/2018

See also [Female—number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy, total N\[NN\]](#)

- [Health](#), Standard 12/12/2018

Implementation in Data Set Specifications:

[Perinatal NBEDS 2019–20Health](#), Superseded 20/11/2019

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

[Perinatal NBEDS 2020–21Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

[Perinatal NBEDS 2021–22Health](#), Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2022–23Health](#), Standard 17/12/2021

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2023–24Health](#), Recorded 26/07/2022

Implementation start date: 01/07/2023

Implementation end date: 30/06/2024

DSS specific information:

This data element is recorded for the mother only.