Total standard drinks N[NN]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Total standard drinks N[NN]

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	690753
Registration status:	<u>Health</u> , Standard 12/12/2018 <u>Tasmanian Health</u> , Standard 09/11/2023
Definition:	The total number of standard drinks consumed.

Representational attributes

Representation class:	Total	
Data type:	Number	
Format:	N[NN]	
Maximum character length:	3	
	Value	Meaning
Supplementary values:	Value 998	Meaning Occasional drinking (less than one)
Supplementary values:		5

Collection and usage attributes

Guide for use: Alcohol consumption is usually measured in standard drinks.

An Australian standard drink contains 10 grams of alcohol, which is equivalent to 12.5 millilitres of alcohol. The numbers of Australian standard drinks in common containers of various alcoholic beverages is presented in the National Health and Medical Research Council (NHMRC) 2009 guidelines.

This estimation is based on the person's description of the type (spirits, beer, wine, other) and number of standard drinks, as defined by the NHMRC, consumed per day. When calculating consumption in standard drinks per day, the total should be reported with part drinks recorded to the next whole standard drink (e.g. 2.4 = 3).

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
Reference documents:	NHMRC (National Health and Medical Research Council) 2009. Australian guidelines to reduce health risks from drinking alcohol. Canberra: NHMRC. Viewed 18 July 2019, <u>https://www.nhmrc.gov.au/about-us/publications/australian-guidelines-reduce-health-risks-drinking-alcohol</u>

Relational attributes

Data elements implementing this value domain:	Female—number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy, total N[NN] Health, Standard 12/12/2018 Tasmanian Health, Standard 09/11/2023
	Female—number of standard drinks consumed when drinking alcohol in the first 20
	weeks of pregnancy, total N[NN]
	<u>Health</u> , Standard 12/12/2018
	Tasmanian Health, Standard 09/11/2023