

Female—number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy, total N[NN]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy, total N[NN]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy
METEOR identifier:	690993
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 09/11/2023
Definition:	The total number of standard drinks consumed on a typical day when drinking alcohol by a female in the first 20 weeks of pregnancy.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Female—number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy
METEOR identifier:	690748
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 09/11/2023
Definition:	The number of standard drinks consumed on a typical day when drinking alcohol by a female in the first 20 weeks of pregnancy.
Object class:	Female
Property:	Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
---------------------------------	---

Value domain attributes

Identifying and definitional attributes

Value domain:	Total standard drinks N[NN]
METEOR identifier:	690753
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 09/11/2023
Definition:	The total number of standard drinks consumed.

Representational attributes

Representation class:	Total
Data type:	Number
Format:	N[NN]
Maximum character length:	3

	Value	Meaning
Supplementary values:	998	Occasional drinking (less than one)
	999	Not stated/inadequately described
Unit of measure:	Standard drink	

Collection and usage attributes

Guide for use:	<p>Alcohol consumption is usually measured in standard drinks.</p> <p>An Australian standard drink contains 10 grams of alcohol, which is equivalent to 12.5 millilitres of alcohol. The numbers of Australian standard drinks in common containers of various alcoholic beverages is presented in the National Health and Medical Research Council (NHMRC) 2009 guidelines.</p> <p>This estimation is based on the person's description of the type (spirits, beer, wine, other) and number of standard drinks, as defined by the NHMRC, consumed per day. When calculating consumption in standard drinks per day, the total should be reported with part drinks recorded to the next whole standard drink (e.g. 2.4 = 3).</p>
----------------	--

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
Reference documents:	<p>NHMRC (National Health and Medical Research Council) 2009. Australian guidelines to reduce health risks from drinking alcohol. Canberra: NHMRC. Viewed 18 July 2019, https://www.nhmrc.gov.au/about-us/publications/australian-guidelines-reduce-health-risks-drinking-alcohol</p>

Data element attributes

Collection and usage attributes

Collection methods:	<p>This data element is self-reported.</p> <p>Recommended question: 'How many standard drinks did you consume on a typical day when drinking alcohol during the first 20 weeks of pregnancy?' where the first 20 weeks of pregnancy is defined as less than or equal to 19 weeks + 6 days.</p> <p>To ensure consistency of results, this data element should be collected after the first 20 weeks of pregnancy.</p>
---------------------	--

Relational attributes

Related metadata references:	<p>See also Female—alcohol consumption frequency in the first 20 weeks of pregnancy, code N Health, Standard 12/12/2018 Tasmanian Health, Standard 09/11/2023</p> <p>See also Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N Health, Standard 12/12/2018 Tasmanian Health, Standard 27/03/2023</p> <p>See also Female—number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy, total N[NN] Health, Standard 12/12/2018 Tasmanian Health, Standard 09/11/2023</p>
Implementation in Data Set Specifications:	<p>Mother data elements (TDLU) cluster Tasmanian Health, Standard 17/11/2023 Implementation start date: 01/07/2023 Implementation end date: 30/06/2025</p>

[Perinatal NBEDS 2019–20](#)

[Health](#), Superseded 20/11/2019

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

[Perinatal NBEDS 2020–21](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

[Perinatal NBEDS 2021–22](#)

[Health](#), Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2022–23](#)

[Health](#), Superseded 09/12/2022

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2023–24](#)

[Health](#), Superseded 06/12/2023

Implementation start date: 01/07/2023

Implementation end date: 30/06/2024

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2024–25](#)

[Health](#), Standard 06/12/2023

Implementation start date: 01/07/2024

Implementation end date: 30/06/2025

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Tasmanian Perinatal Data Set - 2023](#)

[Tasmanian Health](#), Standard 23/11/2023

Implementation start date: 01/07/2023

Implementation end date: 30/06/2024