

Female—alcohol consumption frequency in the first 20 weeks of pregnancy, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Alcohol consumption frequency in first 20 weeks of pregnancy
METEOR identifier:	691052
Registration status:	<ul style="list-style-type: none">• Health, Standard 12/12/2018
Definition:	The frequency of alcohol consumption by a female in the first 20 weeks of pregnancy, as represented by a code.
Context:	Perinatal
Data Element Concept:	Female—alcohol consumption frequency in the first 20 weeks of pregnancy

Value domain attributes

Representational attributes

Representation class:	Code												
Data type:	Number												
Format:	N												
Maximum character length:	1												
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Monthly or less</td></tr><tr><td>2</td><td>2–4 times a month</td></tr><tr><td>3</td><td>2–3 times a week</td></tr><tr><td>4</td><td>4 or more times a week</td></tr></tbody></table>	Value	Meaning	0	Never	1	Monthly or less	2	2–4 times a month	3	2–3 times a week	4	4 or more times a week
Value	Meaning												
0	Never												
1	Monthly or less												
2	2–4 times a month												
3	2–3 times a week												
4	4 or more times a week												
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described								
Value	Meaning												
9	Not stated/inadequately described												

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: Dawson D, Grant B, Stinson F & Zhou Y 2005. Effectiveness of the derived Alcohol Use Disorders Identification Test (AUDIT-C) in screening for alcohol use disorders and risk drinking in the US general population. Alcohol Clinical and Experimental Research 29(5): 844–854.

Data element attributes

Collection and usage attributes

Guide for use: CODE 0 Never

Record if a female did not consume alcohol in the first 20 weeks of pregnancy.

CODE 1 Monthly or less

Record if a female consumed alcohol monthly or less in the first 20 weeks of pregnancy.

CODE 2 2–4 times a month

Record if a female consumed alcohol 2 to 4 times a month in the first 20 weeks of pregnancy.

CODE 3 2–3 times a week

Record if a female consumed alcohol 2 to 3 times a week in the first 20 weeks of pregnancy.

CODE 4 4 or more times a week

Record if a female consumed alcohol 4 or more times a week in the first 20 weeks of pregnancy.

CODE 9 Not stated/inadequately described

This code is not for use in primary data collections.

Collection methods: This data element is self-reported.

Recommended question: 'How often did you have a drink containing alcohol in the first 20 weeks of pregnancy?', where the first 20 weeks of pregnancy is defined as less than or equal to 19 weeks + 6 days.

To ensure consistency of results, this data element should be collected after the first 20 weeks of pregnancy.

Relational attributes

Related metadata references: See also [Female—alcohol consumption frequency after 20 weeks of pregnancy, code N](#)

- [Health](#), Standard 12/12/2018

See also [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#)

- [Health](#), Standard 12/12/2018

See also [Female—number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy, total N\[NN\]](#)

- [Health](#), Standard 12/12/2018

Implementation in Data Set Specifications: [Perinatal NBEDS 2019–20](#)
[Health](#), Superseded 20/11/2019

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

[Perinatal NBEDS 2020–21](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

[Perinatal NBEDS 2021–22](#)

[Health](#), Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2022–23](#)

[Health](#), Standard 17/12/2021

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2023–24 Health](#), Recorded 26/07/2022

Implementation start date: 01/07/2023

Implementation end date: 30/06/2024

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.