

Female—alcohol consumption frequency after 20 weeks of pregnancy, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—alcohol consumption frequency after 20 weeks of pregnancy, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Alcohol consumption frequency after 20 weeks of pregnancy
METEOR identifier:	691060
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 27/03/2023
Definition:	The frequency of alcohol consumption by a female after 20 weeks of pregnancy until the birth, as represented by a code.
Context:	Perinatal

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Female—alcohol consumption frequency after 20 weeks of pregnancy
METEOR identifier:	691058
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 09/11/2023
Definition:	The frequency of alcohol consumption by a female after 20 weeks of pregnancy until the birth.
Context:	Perinatal
Object class:	Female
Property:	Alcohol consumption frequency after 20 weeks of pregnancy

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
--------------------------	---

Value domain attributes

Identifying and definitional attributes

Value domain:	Alcohol consumption frequency code N
METEOR identifier:	693547
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 09/11/2023
Definition:	A code set representing the frequency of alcohol consumption, as measured by the Alcohol Use Disorders Identification Test (AUDIT).

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	0	Never
	1	Monthly or less
	2	2–4 times a month
	3	2–3 times a week
	4	4 or more times a week
Supplementary values:	9	Not stated/inadequately described

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Origin:	Dawson D, Grant B, Stinson F & Zhou Y 2005. Effectiveness of the derived Alcohol Use Disorders Identification Test (AUDIT-C) in screening for alcohol use disorders and risk drinking in the US general population. Alcohol Clinical and Experimental Research 29(5): 844–854.

Data element attributes

Collection and usage attributes

Guide for use:	CODE 0 Never
	Record if a female did not consume alcohol after 20 weeks of pregnancy until the birth.
	CODE 1 Monthly or less
	Record if a female consumed alcohol monthly or less after 20 weeks of pregnancy until the birth.
	CODE 2 2–4 times a month
	Record if a female consumed alcohol 2 to 4 times a month after 20 weeks of pregnancy until the birth.
	CODE 3 2–3 times a week
Collection methods:	Record if a female consumed alcohol 2 to 3 times a week after 20 weeks of pregnancy until the birth.
	CODE 4 4 or more times a week
	Record if a female consumed alcohol 4 or more times a week after 20 weeks of pregnancy until the birth.
	CODE 9 Not stated/inadequately described
	This code is not for use in primary data collections.
	This data element is self-reported.
	Recommended question: 'How often did you have a drink containing alcohol after the first 20 weeks of pregnancy?', where after 20 weeks of pregnancy is defined as more than or equal to 20 weeks + 0 days.
	To ensure consistency of results, this data element should be collected after the birth.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
--------------------------	---

Relational attributes

Related metadata references:

See also [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Standard 12/12/2018

[Tasmanian Health](#), Standard 27/03/2023

See also [Female—alcohol consumption frequency in the first 20 weeks of pregnancy, code N](#)

[Health](#), Standard 12/12/2018

[Tasmanian Health](#), Standard 09/11/2023

See also [Female—number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy, total N\[NN\]](#)

[Health](#), Standard 12/12/2018

[Tasmanian Health](#), Standard 09/11/2023

Implementation in Data Set Specifications:

[Mother data elements \(TDLU\) cluster](#)

[Tasmanian Health](#), Standard 17/11/2023

Implementation start date: 01/07/2023

Implementation end date: 30/06/2025

[Perinatal NBEDS 2019–20](#)

[Health](#), Superseded 20/11/2019

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

[Perinatal NBEDS 2020–21](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

[Perinatal NBEDS 2021–22](#)

[Health](#), Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2022–23](#)

[Health](#), Superseded 09/12/2022

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2023–24](#)

[Health](#), Superseded 06/12/2023

Implementation start date: 01/07/2023

Implementation end date: 30/06/2024

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2024–25](#)

[Health](#), Standard 06/12/2023

Implementation start date: 01/07/2024

Implementation end date: 30/06/2025

Conditional obligation:

This data element is only to be recorded if the response to the [Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

[Tasmanian Perinatal Data Set - 2023](#)

[Tasmanian Health](#), Standard 23/11/2023

Implementation start date: 01/07/2023

Implementation end date: 30/06/2024