KPIs for Australian Public Mental Health Services: PI 13 - Mental health consumer outcomes participation,



Exported from METEOR (AIRW 5 Metadata Online	Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

KPIs for Australian Public Mental Health Services: Pl 13 – Mental health consumer outcomes participation, 2018 (Service level)

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: MHS PI 13: Mental health consumer outcomes participation, 2018 (Service level)

METEOR identifier: 693357

Registration status: Health, Superseded 13/01/2021

Description: The percentage of episodes of ambulatory mental health care with completed

consumer self-assessment outcomes measures.

NOTE: There is no jurisdictional level data source available for this indicator, therefore, there is no Jurisdictional level version of this indicator specification.

Rationale:

• A key goal of the National Mental Health Strategy is for consumers and carers

to be actively involved in treatment planning, decision making and definition of treatment objectives. Consumer self-assessment outcome measures

provide one mechanism for achieving this goal.

 Consumer self-assessment outcome measures provide useful information about how well consumers feel they are able to cope with their usual activities and are an opportunity for consumers, carers and clinicians to track progress

through comparison of ratings over time.

 Offering a consumer self-assessment outcome measure can be useful for engagement as well as collaboration between consumers, carers and

clinicians and can enrich treatment and care planning.

 Obtaining a consumer self-assessment measure requires mental health services to have an adequate degree of engagement (both clinically and

organisationally) with consumers to facilitate this process.

Indicator set: Key Performance Indicators for Australian Public Mental Health Services (Service

level version) (2018)

Health, Superseded 13/01/2021

Collection and usage attributes

Computation description: Coverage/Scope:

All public community mental health service organisations.

The following episodes (and related outcomes measures) are excluded:

• brief ambulatory episode of mental health care.

Methodology:

- Consumer self-assessment measures that are specific to each jurisdiction need to be considered in the construction of this indicator, that is, Mental Health Inventory (MHI), Behavior and Symptom Identification Scale (BASIS-32) and Kessler-10-Plus (K10+).
- Only the following versions of the Strengths and Difficulties Questionnaire (SDQ) are to be considered in the construction of this indicator:
 - * The parent-rated version for children aged 4 to 10,
 - * Either the parent-rated version and/or the self-report version for adolescents aged 11 to 17.
- Non-mandated measures (such as the teacher-version of the SDQ) should not be considered in the construction of this indicator.
- All completed returns (of mandated measures) are to be considered in the
 construction of the numerator. For example, if both a parent-rated version and
 self-report version of the SDQ is received this would count as two completed
 outcome measures.

Computation: (Numerator ÷ Denominator) x 100

Numerator: Number of in-scope episodes of ambulatory mental health care with completed

consumer self-assessment outcome measures.

Numerator data elements:

- Data Element / Data Set-

Guide for use

A completed consumer self-assessment outcome measure is defined as a consumer self-assessment outcome measure where at least one of the required items is entered. Note that measures that are offered to consumers and/or parents/carers but not returned are not considered completed.

Denominator: Number of in-scope episodes of ambulatory mental health care in the reference

period.

Disaggregation: Service variables: target population.

Consumer variables: age.

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:EpisodeFormat:N[NN].N

Indicator conceptual framework

Framework and dimensions:

Responsive

<u>Capable</u>

Accountability attributes

Benchmark:

Levels at which this indicator can be useful for benchmarking:

- service unit
- mental health service organisations
- · regional group of services
- state/territory.

collection required:

Further data development / This indicator cannot be constructed, as estimates of the total number of episodes requiring outcome measures are not provided directly to the National Outcomes and Casemix Collection (NOCC).

> A proxy solution is to use estimates from the Community Mental Health Care National Minimum Data Set.

Longer term, a process is needed that allows data reported to the national collection for consumers who begin an episode in a given year to be tracked when the episode continues into subsequent years. Work is underway to build an episode identifier into the NOCC to enable this. Additionally, consistent, cross-year use of service identifiers and unique identifiers for consumers by states and territories is necessary to enable full capacity to construct this indicator using the NOCC.

Other issues caveats:

- Given the different protocol requirements across service settings the national indicator is only constructed for the ambulatory setting. This is not to diminish the importance of the use of the measures within acute inpatient (for child and adolescent) and residential settings.
- The NOCC protocol requires that consumer self-assessment outcome measures be offered at the commencement of care and at maximum intervals of 91 days thereafter until completion of care, at which point an exit measure is offered.

Source and reference attributes

Australian Institute of Health and Welfare on behalf of the National Mental Health **Submitting organisation:**

Performance Subcommittee.

Reference documents:

NMHPSC (National Mental Health Performance Subcommittee) 2013. Key Performance Indicators for Australian Public Mental Health Services, 3rd edn.

Canberra: NMHPSC

Relational attributes

Related metadata references:

Supersedes KPIs for Australian Public Mental Health Services: PI 13 - Consumer outcomes participation, 2015–2017

Health, Superseded 13/01/2021

Has been superseded by KPIs for Australian Public Mental Health Services: PI 13

- Mental health consumer outcomes participation, 2019 (Service level)

Health, Superseded 13/01/2021