

# Birth event—intended setting of birth

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Birth event—intended setting of birth

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	695175
<b>Registration status:</b>	<a href="#">Health</a> , Standard 12/12/2018 <a href="#">Tasmanian Health</a> , Standard 09/11/2023
<b>Definition:</b>	The intended place of birth at the onset of labour.

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Birth event</a>
<b>METEOR identifier:</b>	684797
<b>Registration status:</b>	<a href="#">Health</a> , Standard 12/12/2018 <a href="#">Tasmanian Health</a> , Standard 08/11/2023
<b>Definition:</b>	The sequence of actions by which a baby and the placenta are expelled or extracted from the female's uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means. The process ends upon complete expulsion or extraction of the baby and the placenta.

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd edn. UK: Oxford University Press.

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Intended setting of birth</a>
<b>Synonymous names:</b>	Intended birth setting
<b>METEOR identifier:</b>	695171
<b>Registration status:</b>	<a href="#">Health</a> , Standard 12/12/2018 <a href="#">Tasmanian Health</a> , Standard 09/11/2023
<b>Definition:</b>	The place where a birth is intended to occur.
<b>Property group:</b>	<a href="#">Location characteristics</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
---------------------------------	--

## Data element concept attributes

### Relational attributes

**Related metadata  
references:**

Supersedes [Birth event—setting of birth  
Health](#), Superseded 12/12/2018

See also [Birth event—actual setting of birth  
Health](#), Standard 12/12/2018  
[Tasmanian Health](#), Standard 08/11/2023

**Data Elements  
implementing this Data  
Element Concept:**

[Birth event—intended setting of birth, code N  
Health](#), Superseded 03/12/2020

[Birth event—intended setting of birth, code N  
Health](#), Standard 03/12/2020  
[Tasmanian Health](#), Standard 09/11/2023