

© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—analgesia administered indicator

Identifying and definitional attributes

Metadata item type: Data Element Concept

METEOR identifier: 695197

Registration status: Health, Superseded 03/12/2020

Definition: An indicator of whether <u>analgesia</u> was administered to the female during a birth

event.

Context: Perinatal

Object Class attributes

Identifying and definitional attributes

Object class: Birth event

Definition: The sequence of actions by which a baby and the placenta are expelled or

extracted from the female's uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means. The process ends upon complete expulsion or

extraction of the baby and the placenta.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: University of Oxford 2002. Concise Colour Medical Dictionary 3rd edn. UK: Oxford

University Press.

Property attributes

Identifying and definitional attributes

Property: Analgesia administered indicator

Definition: An indicator of whether analgesia was administered to an individual.

Property group: Service provision event

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Data element concept attributes

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata Supersedes Birth event—analgesia administered indicator

references: Health, Superseded 12/12/2018

Has been superseded by Birth event—analgesia administered indicator

Health, Standard 03/12/2020

Data Elements implementing this Data Element Concept:

 $\underline{\text{Birth event---analgesia administered indicator, yes/no/not stated/inadequately}}\\ \underline{\text{described code N}}$

Health, Superseded 03/12/2020