

Birth event—labour onset type, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Labour onset type
Synonymous names:	Onset of labour
METEOR identifier:	695339
Registration status:	<ul style="list-style-type: none">• Health, Superseded 03/12/2020
Definition:	The manner in which labour started in a birth event, as represented by a code.
Context:	Perinatal
Data Element Concept:	Birth event—labour onset type

Value domain attributes

Representational attributes

Representation class:	Code								
Data type:	Number								
Format:	N								
Maximum character length:	1								
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Spontaneous</td></tr><tr><td>2</td><td>Induced</td></tr><tr><td>3</td><td>No labour</td></tr></tbody></table>	Value	Meaning	1	Spontaneous	2	Induced	3	No labour
Value	Meaning								
1	Spontaneous								
2	Induced								
3	No labour								
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described				
Value	Meaning								
9	Not stated/inadequately described								

Collection and usage attributes

Guide for use: Labour commences at the onset of regular uterine contractions, which act to produce progressive cervical dilatation, and is distinct from spurious labour or pre-labour rupture of membranes.

CODE 1 Spontaneous

Record if prostaglandins were given to induce labour and there is no resulting labour until after 24 hours.

CODE 3 No labour

Can only be associated with a caesarean section.

Data element attributes

Collection and usage attributes

Guide for use: This data element should be recorded in conjunction with the data element [Birth event—labour induction method, code N](#) when the labour onset type is Code 2 (Induced).

This data element should be recorded in conjunction with the [Birth event—analgesia administered indicator, yes/no/not stated/inadequately described code N](#) data element when labour onset type is Code 1 (Spontaneous) or Code 2 (Induced).

This data element should be recorded in conjunction with the [Birth event—type of analgesia administered, code N\[N\]](#) data element when labour onset type is Code 1 (Spontaneous) or Code 2 (Induced) and the [Birth event—analgesia administered indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

This data element should be recorded in conjunction with the [Birth event—main indication for induction of labour, code N\[N\]](#) data element when labour onset type is Code 2 (Induced).

This data element should be recorded in conjunction with the [Birth event—additional indication for induction of labour, code N\[N\]](#) data element when labour onset type is Code 2 (Induced), the [Birth event—main indication for induction of labour, code N\[N\]](#) data element is completed, and there is more than one reason for which an induction was performed.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references:

Supersedes [Birth event—labour onset type, code N](#)

- [ACT Health \(retired\)](#), Candidate 14/08/2018
- [Health](#), Superseded 12/12/2018

Has been superseded by [Birth event—labour onset type, code N](#)

- [Health](#), Superseded 17/12/2021

See also [Birth event—additional indication for induction of labour, code N\[N\]](#)

- [Health](#), Superseded 03/12/2020

See also [Birth event—analgesia administered indicator, yes/no/not stated/inadequately described code N](#)

- [Health](#), Superseded 03/12/2020

See also [Birth event—labour induction method, code N\[N\]](#)

- [Health](#), Superseded 03/12/2020

See also [Birth event—main indication for induction of labour, code N\[N\]](#)

- [Health](#), Superseded 03/12/2020

See also [Birth event—type of analgesia administered, code N\[N\]](#)

- [Health](#), Superseded 03/12/2020

Implementation in Data Set Specifications:

[Perinatal NMDS 2019–20](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

DSS specific information:

How labour commenced is closely associated with method of birth and maternal and neonatal morbidity. Induction rates vary for maternal risk factors and obstetric complications and are important indicators of obstetric intervention.

This data element is recorded for the mother only.

[Perinatal NMDS 2020–21](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

DSS specific information:

How labour commenced is closely associated with method of birth and maternal and neonatal morbidity. Induction rates vary for maternal risk factors and obstetric complications and are important indicators of obstetric intervention.

This data element is recorded for the mother only.

**Implementation in
Indicators:**

Used as Numerator

[National Core Maternity Indicators: PI 05–Induction of labour for selected females giving birth for the first time, 2021 Health](#), Superseded 09/09/2022

[National Core Maternity Indicators: PI 05–Induction of labour for selected females giving birth for the first time, 2022 Health](#), Standard 09/09/2022

© Australian Institute of Health and Welfare 2015–2022

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 3.0 (CC BY 3.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build upon this work. However, you must attribute the AIHW as the copyright holder of the work in compliance with our attribution policy available at www.aihw.gov.au/copyright. The full terms and conditions of this licence are available at <http://creativecommons.org/licenses/by3.0/au/>.

Enquiries relating to copyright should be addressed to the Head of the Communications, Media and Marketing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.