

Birth event—labour induction method, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—labour induction method, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Labour induction method
Synonymous names:	Method of labour induction
METEOR identifier:	695355
Registration status:	Health , Superseded 03/12/2020
Definition:	The method used to induce labour in a birth event, as represented by a code.
Context:	Perinatal

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Birth event—labour induction method
METEOR identifier:	695352
Registration status:	Health , Standard 12/12/2018 Tasmanian Health , Standard 08/11/2023
Definition:	The method used to induce labour in a birth event.
Context:	Perinatal
Object class:	Birth event
Property:	Labour induction method

Value domain attributes

Identifying and definitional attributes

Value domain:	Labour induction code N[N]
METEOR identifier:	695344
Registration status:	Health , Superseded 03/12/2020
Definition:	A code set representing methods of labour induction.
Context:	Perinatal

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	Meaning
Permissible values:	1	Oxytocin
	2	Prostaglandins
	3	Artificial rupture of membranes (ARM)
	6	Mechanical cervical dilatation

	7	Antiprogesterone
	88	Other
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 6 Mechanical cervical dilatation
	An example of this induction method is the use of a cervical ripening balloon catheter.
	CODE 7 Antiprogesterone
	Also known as antiprogesterone or antiprogesterin.
Comments:	Code 4 has been omitted as it is no longer in use. For information about its meaning in previous data elements, see superseded versions.
	Code 5 has been omitted as it is no longer in use.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
---------------------------------	---

Data element attributes

Collection and usage attributes

Guide for use:	All methods of labour induction used should be recorded. Therefore, more than one permissible value may be recorded for this data element. Each method should be recorded once only.
Comments:	The method of induction determines the progress and duration of labour and may influence the method of birth and the health status of the baby at birth.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
---------------------------------	---

Relational attributes

Related metadata references:	Supersedes Birth event—labour induction type, code N Health, Superseded 12/12/2018
	Has been superseded by Birth event—labour induction method, code N[N] Health, Standard 03/12/2020 Tasmanian Health , Standard 28/03/2023
	See also Birth event—labour onset type, code N Health, Superseded 03/12/2020

Implementation in Data Set Specifications:

[Perinatal NMDS 2019–20](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

Conditional obligation:

The data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 2 (Induced).

[Perinatal NMDS 2020–21](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

Conditional obligation:

The data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 2 (Induced).