

# Pregnancy—estimated duration of pregnancy at the first antenatal care visit

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Pregnancy—estimated duration of pregnancy at the first antenatal care visit

## Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	695399
Registration status:	<a href="#">Health</a> , Superseded 03/12/2020 <a href="#">Indigenous</a> , Superseded 14/07/2021 <a href="#">Tasmanian Health</a> , Standard 03/07/2020
Definition:	The estimated duration of a pregnancy on the day of the first antenatal care visit.

## Object Class attributes

### Identifying and definitional attributes

Object class:	<a href="#">Pregnancy</a>
Definition:	The period during which a woman carries a developing fetus, normally in the uterus. Pregnancy lasts for approximately 266 days, from conception until the baby is born, or 280 days from the first day of the last menstrual period. During pregnancy menstruation is absent, there may be a great increase in appetite, and the breasts increase in size; the woman may also experience morning sickness. These and other changes brought about by a hormone (progesterone) produced at first by the ovary and later by the placenta. Definite evidence of pregnancy is provided by various pregnancy tests, by the detection of the heartbeat of the fetus, and by ultrasound.
Specialisation of:	<a href="#">Life event</a>

### Source and reference attributes

Submitting organisation:	Australia Institute of Health and Welfare
Origin:	University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

## Property attributes

### Identifying and definitional attributes

Property:	<a href="#">Estimated duration of pregnancy at the first antenatal care visit</a>
Definition:	The estimated period of human development inside the uterus measured from the first day of the last menstrual period, at the first antenatal care visit.
Property group:	<a href="#">Physical characteristics</a>

### Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

## Data element concept attributes

### Relational attributes

**Related metadata references:**

Supersedes [Pregnancy—estimated duration](#)  
[Health](#), Superseded 12/12/2018  
[Indigenous](#), Superseded 02/04/2019  
[Tasmanian Health](#), Superseded 03/07/2020  
[WA Health](#), Standard 04/03/2014

Has been superseded by [Pregnancy—estimated duration of pregnancy at the first antenatal care visit](#)

[Health](#), Standard 03/12/2020  
[Indigenous](#), Standard 14/07/2021

See also [Product of conception—gestational age](#)

[Health](#), Standard 12/12/2018  
[Tasmanian Health](#), Standard 03/07/2020

**Data Elements implementing this Data Element Concept:**

[Pregnancy—estimated duration of pregnancy at the first antenatal care visit, total completed weeks N\[N\]](#)

[Health](#), Superseded 03/12/2020  
[Indigenous](#), Superseded 14/07/2021  
[Tasmanian Health](#), Superseded 24/03/2023