

Birth event—type of analgesia administered, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Type of analgesia administered during a birth event
METEOR identifier:	695545
Registration status:	<ul style="list-style-type: none">• Health, Superseded 03/12/2020
Definition:	The type of analgesia administered to a female during a birth event, as represented by a code.
Data Element Concept:	Birth event—type of analgesia administered

Value domain attributes

Representational attributes

Representation class:	Code														
Data type:	Number														
Format:	N[N]														
Maximum character length:	2														
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>2</td><td>Nitrous oxide</td></tr><tr><td>4</td><td>Epidural or caudal block</td></tr><tr><td>5</td><td>Spinal block</td></tr><tr><td>6</td><td>Systemic opioids</td></tr><tr><td>7</td><td>Combined spinal-epidural block</td></tr><tr><td>88</td><td>Other analgesia</td></tr></tbody></table>	Value	Meaning	2	Nitrous oxide	4	Epidural or caudal block	5	Spinal block	6	Systemic opioids	7	Combined spinal-epidural block	88	Other analgesia
Value	Meaning														
2	Nitrous oxide														
4	Epidural or caudal block														
5	Spinal block														
6	Systemic opioids														
7	Combined spinal-epidural block														
88	Other analgesia														
Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>99</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	99	Not stated/inadequately described										
Value	Meaning														
99	Not stated/inadequately described														

Collection and usage attributes

Guide for use:	<p>CODE 6 Systemic opioids</p> <p>Includes intramuscular and intravenous opioids.</p> <p>CODE 7 Combined spinal-epidural block</p> <p>The spinal-epidural block combines the benefits of rapid action of a spinal block and the flexibility of an epidural block. An epidural catheter inserted during the technique enables the provision of long-lasting analgesia with the ability to titrate the dose for the desired effect.</p> <p>CODE 88 Other analgesia</p> <p>Includes all non-narcotic oral analgesia and non-pharmacological methods such as hypnosis, acupuncture, massage, relaxation techniques, temperature regulation and aromatherapy.</p>
Comments:	Code 1 and Code 3 have been omitted as these codes are no longer in use. For information about their meaning in previous data elements, see superseded versions.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Data element attributes

Collection and usage attributes

Guide for use:	<p>More than one permissible value may be recorded.</p> <p>CODE 7 Combined spinal-epidural block</p> <p>Combined spinal-epidural block should not be recorded if both Code 4 and Code 5 are also recorded.</p>
Comments:	Analgesia use may influence the duration of labour, may affect the health status of the baby at birth and is an indicator of obstetric intervention. Analgesia may also influence a female's satisfaction with her birth experience and is an indicator of access to anaesthesia services, i.e. epidural analgesia is not available for females in birth events where there are no anaesthetic services.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references:

Supersedes [Birth event—type of analgesia administered, code N\[N\]](#)

- [ACT Health \(retired\)](#), Candidate 14/08/2018
- [Health](#), Superseded 12/12/2018

Has been superseded by [Birth event—type of analgesia administered, code N\[N\]](#)

- [Health](#), Superseded 17/12/2021

See also [Birth event—analgesia administered indicator, yes/no/not stated/inadequately described code N](#)

- [Health](#), Superseded 03/12/2020

See also [Birth event—birth method, code N](#)

- [Health](#), Superseded 03/12/2020

See also [Birth event—labour onset type, code N](#)

- [Health](#), Superseded 03/12/2020

Implementation in Data Set Specifications:

[Perinatal NMDS 2019–20](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2019

Implementation end date: 30/06/2020

Conditional obligation:

This data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 1 (Spontaneous) or Code 2 (Induced) and the [Birth event—analgesia administered indicator, Yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is to be recorded for first and second stage labour, but not for third stage labour, e.g. removal of placenta.

This is a multiple response data element and is therefore operationalised for data collection across 6 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).

[Perinatal NMDS 2020–21](#)

[Health](#), Superseded 03/12/2020

Implementation start date: 01/07/2020

Implementation end date: 30/06/2021

Conditional obligation:

This data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 1 (Spontaneous) or Code 2 (Induced) and the [Birth event—analgesia administered indicator, Yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

DSS specific information:

This data element is to be recorded for first and second stage labour, but not for third stage labour, e.g. removal of placenta.

This is a multiple response data element and is therefore operationalised for data collection across 6 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).