

Australian Health Performance Framework: PI 1.2.2– Children exposed to tobacco smoke in the home, 2019

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Australian Health Performance Framework: PI 1.2.2– Children exposed to tobacco smoke in the home, 2019

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	AHPF PI 1.2.2–Children exposed to tobacco smoke in the home, 2019
METEOR identifier:	715401
Registration status:	Health , Superseded 13/10/2021
Description:	The proportion of households with dependent children (aged 0–14) where someone reports living with a smoker who smokes daily inside the home.
Rationale:	Second-hand smoke can cause lung cancer and heart disease deaths to non-smokers. Second-hand smoke can be especially harmful to children's health because their lungs are still developing.
Indicator set:	Australian Health Performance Framework, 2019 Health , Superseded 13/10/2021 Australian Health Performance Framework, 2019 Health , Superseded 13/10/2021

Collection and usage attributes

Computation description:	<p>The proportion of households with children aged 0–14 where someone smokes at least one cigarette, cigar or pipe of tobacco per day inside the home.</p> <p>Analysis by remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-Economic Disadvantage (IRSD) is based on usual residence of person.</p> <p>Presented as a percentage for households (percentage is not age standardised). 95% confidence intervals and relative standard errors are calculated for percentages.</p>
Computation:	$100 \times (\text{Numerator} \div \text{Denominator})$
Numerator:	The number of households with dependent children aged 0–14 with a household member who smokes daily inside a home (as reported by a member of that household)

Numerator data elements:

Data Element / Data Set

Number of households with dependent children aged 0–14

Data Source

[AIHW National Drug Strategy Household Survey](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Tobacco smoke exposure status within household

Data Source

[AIHW National Drug Strategy Household Survey](#)

Guide for use

Data source type: Survey

Denominator:

The number of households with children aged 0–14

Denominator data elements:

Data Element / Data Set

Number of households with dependent children aged 0–14

Data Source

[AIHW National Drug Strategy Household Survey](#)

Guide for use

Data source type: Survey

Disaggregation:

2001, 2004, 2007, 2010, 2013, 2016—Nationally, by exposure status (Someone smokes inside the home, Someone only smokes outside the home, No one at home regularly smokes) and:

- Remoteness (Australian Statistical Geography Standard (ASGS) 2016 Remoteness Structure) (Major cities, Inner regional, Outer regional, Remote/Very remote)
- 2016 SEIFA IRSD quintiles.

State and territory, by:

- Exposure status (Someone smokes inside the home, Someone only smokes outside the home, No one at home regularly smokes) (not reported).

Disaggregation data elements:

Data Element / Data Set

Dwelling—geographic remoteness

Data Source

[AIHW National Drug Strategy Household Survey](#)

Guide for use

Data source type: Survey

Data Element / Data Set

Household—statistical area level 1 (SA1) code (ASGS 2011)

Data Source

[AIHW National Drug Strategy Household Survey](#)

Guide for use

Data source type: Survey

Used to produce disaggregations by state/territory, remoteness and SEIFA.

Data Element / Data Set

Tobacco smoke exposure status within household

Data Source

[AIHW National Drug Strategy Household Survey](#)

Guide for use

Data source type: Survey

Comments:

Most recent data available for 2019 Australian Health Performance Framework reporting: 2016.

Data for 2001, 2004, 2007, 2010 and 2013 were obtained from the AIHW National Drug Strategy Household Survey (NDSHS) run in respect of these years. Similar data elements were used to those listed above for the 2016 NDSHS.

The SEIFA Index of Relative Socio-Economic Disadvantage (IRSD) has been used for this indicator. However, the SEIFA Index of Relative Socio-Economic Advantage and Disadvantage (IRSAD) is usually used for reporting data by socio-economic area in the NDSHS.

Indigenous estimates are not provided because the NDSHS is not specifically designed to obtain reliable national estimates for Aboriginal and Torres Strait Islander people. In the 2016 NDSHS 2.4% of the sample (or approximately 568 respondents) identified as being of Aboriginal and/or Torres Strait Islander origin. Practicality of the survey design meant that some Aboriginal communities and those with low levels of English literacy were excluded. The exclusion of these communities makes it difficult to generalise the results in the NDSHS to the whole Indigenous population.

Age and sex disaggregations are not available as the data are based on the household, not the respondent.

Representational attributes

Representation class: Proportion
Data type: Real
Unit of measure: Household
Format: N[N].N

Indicator conceptual framework

Framework and dimensions: [2. Health behaviours](#)

Data source attributes

Data sources:

Data Source

[AIHW National Drug Strategy Household Survey](#)

Frequency

Every three years.

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Methodology: Surveyed respondents are persons aged 12 and over living in a private residence. Respondents are asked if the residence includes children aged 14 or less, and if so, whether the residents include someone who smokes inside the home, someone who only smokes outside the home, or no one at home who regularly smokes.

Reporting requirements: Australian Health Performance Framework

Organisation responsible for providing data: Australian Institute of Health and Welfare

Accountability: Australian Institute of Health and Welfare

Other issues caveats: Most recent results are from the 2016 survey. The 2019 survey has been conducted but the data are not yet available for use.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Related metadata references: Has been superseded by [Australian Health Performance Framework: PI 1.2.2–Children exposed to tobacco smoke in the home, 2020](#)
[Health](#), Standard 13/10/2021